

# Trinity Valley Community College

## Physical Resources/Facilities Survey Report

2014-2015 (Fall Only)

What building is your office/workspace located in? (Feel free to select other if you do not feel comfortable answering this question) Mean: 20.48

Response	Value	Frequency	Percent
TVCC Administration Building 1st floor	1.00	14	8.48
TVCC Administration Building 2nd floor	2.00	6	3.64
Gibbs Academic Building 1st floor	3.00	10	6.06
Gibbs Academic Building 2nd floor	4.00	10	6.06
LRC 1st floor	5.00	1	0.61
LRC 2nd floor	6.00	7	4.24
Student Union Building 1st floor	7.00	1	0.61
Student Union Building 2nd floor	8.00	0	0.00
General Studies Center 1st Floor	9.00	10	6.06
General Studies Center 2nd floor	10.00	1	0.61
Baugh Technology Building 1st Floor	11.00	6	3.64
Baugh Technology Building 2nd Floor	12.00	5	3.03
Baugh Technology Building 3rd Floor	13.00	7	4.24
Liberal Arts Bldg	14.00	6	3.64
Math/Journalism Bldg.	15.00	5	3.03
Nail Technology Classroom Bldg.	16.00	0	0.00
Agriculture Bldg.	17.00	0	0.00
Cardinal Gymnasium	18.00	1	0.61
Auto Mechanics Bldg.	19.00	1	0.61
Cosmetology Bldg.	20.00	1	0.61
Adult Education Bldg.	21.00	1	0.61
Fine Arts Bldg.	22.00	2	1.21
Welding Shop	23.00	1	0.61
Maintenance/Transportation	24.00	2	1.21
Bookstore	25.00	3	1.82
Cafeteria	26.00	0	0.00
Field House	27.00	0	0.00
West Hall	28.00	0	0.00
South Hall	29.00	0	0.00
Cardinal Hall	30.00	1	0.61
Northwest Dorm	31.00	0	0.00
Northeast Dorm	32.00	0	0.00
TVCC-Ranch	33.00	0	0.00
Health Science Center 1st floor	34.00	3	1.82
Health Science Center 2nd floor	35.00	9	5.45
Health Science Center Annex	36.00	2	1.21
TVCC-Palestine Workforce Center	37.00	1	0.61
Anderson Bldg.	38.00	12	7.27
Calhoun Bldg.	39.00	4	2.42
Terrell Administration	40.00	13	7.88
Terrell Educational Bldg.	41.00	1	0.61
Terrell Learning Resource Center	42.00	4	2.42

Terrell Maintenance Bldg.	43.00	0	0.00
TDCJ Correctional Education Office Bldg.	44.00	2	1.21
TVCC Small Business Development Center	45.00	1	0.61
Other	46.00	9	5.45
<b>Total Valid</b>		163	98.79
<b>Missing</b>		2	1.21
<b>Total</b>		165	100.00

What is your Division or Department? (Feel free to select other if you do not feel comfortable answering this question) Mean: 9.03

Response	Value	Frequency	Percent
Administration	1.00	12	7.27
Administrative Services	2.00	9	5.45
Student Services	3.00	13	7.88
Information Technology	4.00	6	3.64
Plant Operations and Maintenance	5.00	1	0.61
Human Relations	6.00	0	0.00
Police Dept.	7.00	1	0.61
Instruction	8.00	47	28.48
Athletics	9.00	1	0.61
Institutional Advancement	10.00	3	1.82
TVCC - TDCJ	11.00	6	3.64
TVCC - Palestine	12.00	11	6.67
TVCC - Terrell	13.00	14	8.48
TVCC - Kaufman	14.00	13	7.88
Other	15.00	26	15.76
<b>Total Valid</b>		163	98.79
<b>Missing</b>		2	1.21
<b>Total</b>		165	100.00

What is your Position? (Feel free to select other if you do not feel comfortable answering this question) Mean: 3.43

Response	Value	Frequency	Percent
Executive/Administrative	1.00	20	12.12
Instructional Faculty	2.00	77	46.67
Non-instructional Faculty	3.00	1	0.61
Professional Non-Faculty	4.00	10	6.06
Para-Professional	5.00	20	12.12
Clerical Support	6.00	20	12.12
Maintenance/Security/Transportation	7.00	2	1.21
Other	8.00	14	8.48
<b>Total Valid</b>		164	99.39
<b>Missing</b>		1	0.61
<b>Total</b>		165	100.00

What is your Gender? (Optional)

Mean: 1.67

<b>Response</b>	<b>Value</b>	<b>Frequency</b>	<b>Percent</b>
Male	1.00	48	29.09
Female	2.00	99	60.00
<b>Total Valid</b>		147	89.09
<b>Missing</b>		18	10.91
<b>Total</b>		165	100.00

# Trinity Valley Community College

## Physical Resources/Facilities Survey Report

2014-2015 (Fall Only)

**Question: What building is your office/workspace located in? (Feel free to select other if you do not feel comfortable answering this question)**

Response
Multiple locations
tech Palestine

**Question: What is your Division or Department? (Feel free to select other if you do not feel comfortable answering this question)**

Response
Workforce education
workforce
Social Sciences
Fine Arts
Community Services

**Question: What is your Position? (Feel free to select other if you do not feel comfortable answering this question)**

Response
Administrative Assistant

# Trinity Valley Community College

## Physical Resources/Facilities Survey Report

2014-2015 Fall Only

Adequate size of work area/office

Mean: 3.99

Response	Value	Frequency	Percent	Graph
Excellent	5.00	62	37.58	
Good	4.00	60	36.36	
Fair	3.00	24	14.55	
Poor	2.00	17	10.30	
DK/DU	1.00	2	1.21	
<b>Total Valid</b>		165	100.00	

Appropriate location of work area/office

Mean: 4.19

Response	Value	Frequency	Percent	Graph
Excellent	5.00	74	44.85	
Good	4.00	58	35.15	
Fair	3.00	16	9.70	
Poor	2.00	12	7.27	
DK/DU	1.00	1	0.61	
<b>Total Valid</b>		161	97.58	
<b>Missing</b>		4	2.42	
<b>Total</b>		165	100.00	

Adequate and appropriate work area/office equipment

Mean: 4.12

Response	Value	Frequency	Percent	Graph
Excellent	5.00	64	38.79	
Good	4.00	66	40.00	
Fair	3.00	21	12.73	
Poor	2.00	10	6.06	
DK/DU	1.00	1	0.61	
<b>Total Valid</b>		162	98.18	
<b>Missing</b>		3	1.82	
<b>Total</b>		165	100.00	

Safety/security of work area/office

Mean: 3.88

Response	Value	Frequency	Percent	Graph
Excellent	5.00	45	27.27	
Good	4.00	71	43.03	
Fair	3.00	29	17.58	
Poor	2.00	13	7.88	
DK/DU	1.00	3	1.82	
<b>Total Valid</b>		161	97.58	
<b>Missing</b>		4	2.42	
<b>Total</b>		165	100.00	

Cleanliness of work area/office

Mean: 3.98

Response	Value	Frequency	Percent	Graph
Excellent	5.00	46	27.88	
Good	4.00	76	46.06	
Fair	3.00	27	16.36	
Poor	2.00	10	6.06	
DK/DU	1.00	1	0.61	
<b>Total Valid</b>		160	96.97	
<b>Missing</b>		5	3.03	
<b>Total</b>		165	100.00	

Adequate number of classrooms

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	5.00	34	20.61	
Good	4.00	43	26.06	
Fair	3.00	21	12.73	
Poor	2.00	17	10.30	
DK/DU	1.00	47	28.48	
<b>Total Valid</b>		162	98.18	
<b>Missing</b>		3	1.82	
<b>Total</b>		165	100.00	

Appropriate location of classrooms

Mean: 3.13

Response	Value	Frequency	Percent	Graph
Excellent	5.00	40	24.24	
Good	4.00	48	29.09	
Fair	3.00	12	7.27	
Poor	2.00	13	7.88	
DK/DU	1.00	47	28.48	
<b>Total Valid</b>		160	96.97	
<b>Missing</b>		5	3.03	
<b>Total</b>		165	100.00	

Adequate furnishings of classrooms

Mean: 3.09

Response	Value	Frequency	Percent	Graph
Excellent	5.00	33	20.00	
Good	4.00	49	29.70	
Fair	3.00	20	12.12	
Poor	2.00	11	6.67	
DK/DU	1.00	45	27.27	
<b>Total Valid</b>		158	95.76	
<b>Missing</b>		7	4.24	
<b>Total</b>		165	100.00	

Adequate and appropriate classroom equipment

Mean: 3.06

Response	Value	Frequency	Percent	Graph
Excellent	5.00	28	16.97	
Good	4.00	52	31.52	
Fair	3.00	25	15.15	
Poor	2.00	7	4.24	
DK/DU	1.00	46	27.88	
<b>Total Valid</b>		158	95.76	
<b>Missing</b>		7	4.24	
<b>Total</b>		165	100.00	


Safety and security of classrooms

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	5.00	22	13.33	
Good	4.00	59	35.76	
Fair	3.00	20	12.12	
Poor	2.00	13	7.88	
DK/DU	1.00	45	27.27	
<b>Total Valid</b>		159	96.36	
<b>Missing</b>		6	3.64	
<b>Total</b>		165	100.00	


Cleanliness of classrooms

Mean: 3.14

Response	Value	Frequency	Percent	Graph
Excellent	5.00	28	16.97	
Good	4.00	59	35.76	
Fair	3.00	25	15.15	
Poor	2.00	3	1.82	
DK/DU	1.00	45	27.27	
<b>Total Valid</b>		160	96.97	
<b>Missing</b>		5	3.03	
<b>Total</b>		165	100.00	

Adequate number of labs/shops

Mean: 2.43

Response	Value	Frequency	Percent	Graph
Excellent	5.00	19	11.52	
Good	4.00	34	20.61	
Fair	3.00	18	10.91	
Poor	2.00	17	10.30	
DK/DU	1.00	74	44.85	
<b>Total Valid</b>		162	98.18	
<b>Missing</b>		3	1.82	
<b>Total</b>		165	100.00	

Appropriate size of labs/shops

Mean: 2.48

Response	Value	Frequency	Percent	Graph
Excellent	5.00	20	12.12	
Good	4.00	34	20.61	
Fair	3.00	18	10.91	
Poor	2.00	14	8.48	
DK/DU	1.00	71	43.03	
<b>Total Valid</b>		157	95.15	
<b>Missing</b>		8	4.85	
<b>Total</b>		165	100.00	

Appropriate location of labs/shops

Mean: 2.54

Response	Value	Frequency	Percent	Graph
Excellent	5.00	20	12.12	
Good	4.00	43	26.06	
Fair	3.00	12	7.27	
Poor	2.00	12	7.27	
DK/DU	1.00	72	43.64	
<b>Total Valid</b>		159	96.36	
<b>Missing</b>		6	3.64	
<b>Total</b>		165	100.00	

Adequate furnishings of labs/shops

Mean: 2.47

Response	Value	Frequency	Percent	Graph
Excellent	5.00	18	10.91	
Good	4.00	36	21.82	
Fair	3.00	21	12.73	
Poor	2.00	12	7.27	
DK/DU	1.00	72	43.64	
<b>Total Valid</b>		159	96.36	
<b>Missing</b>		6	3.64	
<b>Total</b>		165	100.00	

Adequate and appropriate lab/shop equipment

Mean: 2.39

Response	Value	Frequency	Percent	Graph
Excellent	5.00	14	8.48	
Good	4.00	37	22.42	
Fair	3.00	20	12.12	
Poor	2.00	13	7.88	
DK/DU	1.00	74	44.85	
<b>Total Valid</b>		158	95.76	
<b>Missing</b>		7	4.24	
<b>Total</b>		165	100.00	

Safety of labs/shops and equipment

Mean: 2.46

Response	Value	Frequency	Percent	Graph
Excellent	5.00	15	9.09	
Good	4.00	42	25.45	
Fair	3.00	19	11.52	
Poor	2.00	8	4.85	
DK/DU	1.00	75	45.45	
<b>Total Valid</b>		159	96.36	
<b>Missing</b>		6	3.64	
<b>Total</b>		165	100.00	

Cleanliness of labs/shops and equipment

Mean: 2.59

Response	Value	Frequency	Percent	Graph
Excellent	5.00	17	10.30	
Good	4.00	49	29.70	
Fair	3.00	15	9.09	
Poor	2.00	4	2.42	
DK/DU	1.00	72	43.64	
<b>Total Valid</b>		157	95.15	
<b>Missing</b>		8	4.85	
<b>Total</b>		165	100.00	

Availability of faculty/staff parking

Mean: 3.79

Response	Value	Frequency	Percent	Graph
Excellent	5.00	41	24.85	
Good	4.00	73	44.24	
Fair	3.00	26	15.76	
Poor	2.00	25	15.15	
DK/DU	1.00	0	0.00	
<b>Total Valid</b>		165	100.00	

Availability of student parking

Mean: 3.25

Response	Value	Frequency	Percent	Graph
Excellent	5.00	23	13.94	
Good	4.00	63	38.18	
Fair	3.00	29	17.58	
Poor	2.00	23	13.94	
DK/DU	1.00	23	13.94	
<b>Total Valid</b>		161	97.58	
<b>Missing</b>		4	2.42	
<b>Total</b>		165	100.00	

Safety/security in parking lots

Mean: 3.48

Response	Value	Frequency	Percent	Graph
Excellent	5.00	20	12.12	
Good	4.00	72	43.64	
Fair	3.00	41	24.85	
Poor	2.00	23	13.94	
DK/DU	1.00	6	3.64	
<b>Total Valid</b>		162	98.18	
<b>Missing</b>		3	1.82	
<b>Total</b>		165	100.00	

Elevators

Mean: 2.76

Response	Value	Frequency	Percent	Graph
Excellent	5.00	17	10.30	
Good	4.00	55	33.33	
Fair	3.00	20	12.12	
Poor	2.00	11	6.67	
DK/DU	1.00	58	35.15	
<b>Total Valid</b>		161	97.58	
<b>Missing</b>		4	2.42	
<b>Total</b>		165	100.00	

Cafeteria

Mean: 2.87

Response	Value	Frequency	Percent	Graph
Excellent	5.00	29	17.58	
Good	4.00	52	31.52	
Fair	3.00	9	5.45	
Poor	2.00	7	4.24	
DK/DU	1.00	62	37.58	
<b>Total Valid</b>		159	96.36	
<b>Missing</b>		6	3.64	
<b>Total</b>		165	100.00	

Restrooms (including cleanliness)

Mean: 3.54

Response	Value	Frequency	Percent	Graph
Excellent	5.00	26	15.76	
Good	4.00	63	38.18	
Fair	3.00	50	30.30	
Poor	2.00	18	10.91	
DK/DU	1.00	5	3.03	
<b>Total Valid</b>		162	98.18	
<b>Missing</b>		3	1.82	
<b>Total</b>		165	100.00	

Study areas (Library, Cardinal Success Center)

Mean: 3.40

Response	Value	Frequency	Percent	Graph
Excellent	5.00	33	20.00	
Good	4.00	70	42.42	
Fair	3.00	16	9.70	
Poor	2.00	8	4.85	
DK/DU	1.00	32	19.39	
<b>Total Valid</b>		159	96.36	
<b>Missing</b>		6	3.64	
<b>Total</b>		165	100.00	

Leisure areas (benches, picnic tables, etc.)

Mean: 3.26

Response	Value	Frequency	Percent	Graph
Excellent	5.00	21	12.73	
Good	4.00	59	35.76	
Fair	3.00	46	27.88	
Poor	2.00	9	5.45	
DK/DU	1.00	25	15.15	
<b>Total Valid</b>		160	96.97	
<b>Missing</b>		5	3.03	
<b>Total</b>		165	100.00	

Sidewalks

Mean: 3.76

Response	Value	Frequency	Percent	Graph
Excellent	5.00	38	23.03	
Good	4.00	75	45.45	
Fair	3.00	29	17.58	
Poor	2.00	10	6.06	
DK/DU	1.00	9	5.45	
<b>Total Valid</b>		161	97.58	
<b>Missing</b>		4	2.42	
<b>Total</b>		165	100.00	

Stairways

Mean: 3.23

Response	Value	Frequency	Percent	Graph
Excellent	5.00	24	14.55	
Good	4.00	71	43.03	
Fair	3.00	21	12.73	
Poor	2.00	6	3.64	
DK/DU	1.00	38	23.03	
<b>Total Valid</b>		160	96.97	
<b>Missing</b>		5	3.03	
<b>Total</b>		165	100.00	

Campus signs/maps

Mean: 3.40

Response	Value	Frequency	Percent	Graph
Excellent	5.00	21	12.73	
Good	4.00	65	39.39	
Fair	3.00	41	24.85	
Poor	2.00	20	12.12	
DK/DU	1.00	12	7.27	
<b>Total Valid</b>		159	96.36	
<b>Missing</b>		6	3.64	
<b>Total</b>		165	100.00	

Sustainability and environmental responsibility ("GREEN")

Mean: 2.67

Response	Value	Frequency	Percent	Graph
Excellent	5.00	12	7.27	
Good	4.00	45	27.27	
Fair	3.00	30	18.18	
Poor	2.00	28	16.97	
DK/DU	1.00	47	28.48	
<b>Total Valid</b>		162	98.18	
<b>Missing</b>		3	1.82	
<b>Total</b>		165	100.00	

Accessibility of TVCC buildings for persons with disabilities

Mean: 3.21

Response	Value	Frequency	Percent	Graph
Excellent	5.00	21	12.73	
Good	4.00	62	37.58	
Fair	3.00	40	24.24	
Poor	2.00	14	8.48	
DK/DU	1.00	28	16.97	
<b>Total Valid</b>		165	100.00	

Adequacy of classroom furniture for persons with disabilities

Mean: 2.74

Response	Value	Frequency	Percent	Graph
Excellent	5.00	11	6.67	
Good	4.00	47	28.48	
Fair	3.00	40	24.24	
Poor	2.00	19	11.52	
DK/DU	1.00	46	27.88	
<b>Total Valid</b>		163	98.79	
<b>Missing</b>		2	1.21	
<b>Total</b>		165	100.00	

Adequacy of classroom equipment for persons with disabilities

Mean: 2.70

Response	Value	Frequency	Percent	Graph
Excellent	5.00	11	6.67	
Good	4.00	44	26.67	
Fair	3.00	41	24.85	
Poor	2.00	15	9.09	
DK/DU	1.00	50	30.30	
<b>Total Valid</b>		161	97.58	
<b>Missing</b>		4	2.42	
<b>Total</b>		165	100.00	

Adequacy of the Lighting during the Day

Mean: 4.24

Response	Value	Frequency	Percent	Graph
Excellent	5.00	59	35.76	
Good	4.00	89	53.94	
Fair	3.00	14	8.48	
Poor	2.00	3	1.82	
DK/DU	1.00	0	0.00	
<b>Total Valid</b>		165	100.00	

Adequacy of the Lighting during the Night

Mean: 3.35

Response	Value	Frequency	Percent	Graph
Excellent	5.00	16	9.70	
Good	4.00	71	43.03	
Fair	3.00	48	29.09	
Poor	2.00	13	7.88	
DK/DU	1.00	16	9.70	
<b>Total Valid</b>		164	99.39	
<b>Missing</b>		1	0.61	
<b>Total</b>		165	100.00	

Access to Safety and Emergency Equipment (fire extinguisher, first aid kit, etc.)

Mean: 3.53

Response	Value	Frequency	Percent	Graph
Excellent	5.00	17	10.30	
Good	4.00	90	54.55	
Fair	3.00	35	21.21	
Poor	2.00	10	6.06	
DK/DU	1.00	13	7.88	
<b>Total Valid</b>		165	100.00	

Adequacy of the safety and security of your building

Mean: 3.48

Response	Value	Frequency	Percent	Graph
Excellent	5.00	17	10.30	
Good	4.00	74	44.85	
Fair	3.00	48	29.09	
Poor	2.00	19	11.52	
DK/DU	1.00	5	3.03	
<b>Total Valid</b>		163	98.79	
<b>Missing</b>		2	1.21	
<b>Total</b>		165	100.00	

Is the number of security personnel adequate

Mean: 3.16

Response	Value	Frequency	Percent	Graph
Excellent	5.00	13	7.88	
Good	4.00	62	37.58	
Fair	3.00	40	24.24	
Poor	2.00	25	15.15	
DK/DU	1.00	19	11.52	
<b>Total Valid</b>		159	96.36	
<b>Missing</b>		6	3.64	
<b>Total</b>		165	100.00	

Process for evaluating facilities use

Mean: 2.88

Response	Value	Frequency	Percent	Graph
Excellent	5.00	16	9.70	
Good	4.00	53	32.12	
Fair	3.00	37	22.42	
Poor	2.00	9	5.45	
DK/DU	1.00	48	29.09	
<b>Total Valid</b>		163	98.79	
<b>Missing</b>		2	1.21	
<b>Total</b>		165	100.00	


Opportunities to participate in facilities planning (e.g. Long Rang Development or Facilities Master Plan)

Mean: 2.46

Response	Value	Frequency	Percent	Graph
Excellent	5.00	10	6.06	
Good	4.00	36	21.82	
Fair	3.00	32	19.39	
Poor	2.00	27	16.36	
DK/DU	1.00	59	35.76	
<b>Total Valid</b>		164	99.39	
<b>Missing</b>		1	0.61	
<b>Total</b>		165	100.00	


Effectiveness of planning and prioritization for equipment and facilities (e.g., maintenance, repairs, and procurement)

Mean: 2.64

Response	Value	Frequency	Percent	Graph
Excellent	5.00	12	7.27	
Good	4.00	40	24.24	
Fair	3.00	40	24.24	
Poor	2.00	19	11.52	
DK/DU	1.00	52	31.52	
<b>Total Valid</b>		163	98.79	
<b>Missing</b>		2	1.21	
<b>Total</b>		165	100.00	

If you experienced an EMERGENCY on campus, please rate the response by security personnel. If you have not experienced an emergency on campus, please check the Don't Know/Don't Use (DK/DU) response box for this item.

Mean: 2.06

Response	Value	Frequency	Percent	Graph
Excellent	5.00	16	9.70	
Good	4.00	27	16.36	
Fair	3.00	11	6.67	
Poor	2.00	5	3.03	
DK/DU	1.00	103	62.42	
<b>Total Valid</b>		162	98.18	
<b>Missing</b>		3	1.82	
<b>Total</b>		165	100.00	

How familiar are you with TVCC's EMERGENCY PROCEDURES (including where to find them)?

Mean: 3.23

Response	Value	Frequency	Percent	Graph
Excellent	5.00	9	5.45	
Good	4.00	65	39.39	
Fair	3.00	60	36.36	
Poor	2.00	17	10.30	
DK/DU	1.00	14	8.48	
<b>Total Valid</b>		165	100.00	