

Trinity Valley Community College

Physical Resources/Facilities Survey

Fall 2017

No Campus Selected

Which campus are you located?

Mean: -

Response	Value	Frequency	Percent	Graph
Athens	1.00	0	0.00	
Terrell	2.00	0	0.00	
Palestine	3.00	0	0.00	
Health Science Center	4.00	0	0.00	
Other	5.00	0	0.00	
Total Valid		0	0.00	
Total		0	0.00	

Adequate size of work area/office

Mean: 2.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	33.33	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	2	66.67	
DK/DU	0.00	0	0.00	
Total Valid		3	100.00	
Total		3	100.00	

Appropriate location of work area/office

Mean: 3.67

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	66.67	
Good	3.00	1	33.33	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0	0.00	
Total Valid		3	100.00	
Total		3	100.00	

Adequate and appropriate work area/office equipment

Mean: 2.67

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	33.33	
Good	3.00	1	33.33	
Fair	2.00	0	0.00	
Poor	1.00	1	33.33	
DK/DU	0.00	0		
Total Valid		3	100.00	
Total		3	100.00	

Safety/security of work area/office

Mean: 3.67

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	66.67	
Good	3.00	1	33.33	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		3	100.00	
Total		3	100.00	

Cleanliness of work area/office

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	33.33	
Good	3.00	1	33.33	
Fair	2.00	1	33.33	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		3	100.00	
Total		3	100.00	

Adequate number of classrooms

Mean: 2.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	33.33	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	2	66.67	
DK/DU	0.00	0		
Total Valid		3	100.00	
Total		3	100.00	

Appropriate location of classrooms

Mean: 4.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	100.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		2	100.00	
Total		2	100.00	

Adequate furnishings of classrooms

Mean: 3.33

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	33.33	
Good	3.00	2	66.67	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		3	100.00	
Total		3	100.00	

Adequate and appropriate classroom equipment

Mean: 2.67

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	33.33	
Good	3.00	0	0.00	
Fair	2.00	2	66.67	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		3	100.00	
Total		3	100.00	

Safety and security of classrooms

Mean: 3.67

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	66.67	
Good	3.00	1	33.33	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		3	100.00	
Total		3	100.00	

Cleanliness of classrooms

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	33.33	
Good	3.00	1	33.33	
Fair	2.00	1	33.33	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		3	100.00	
Total		3	100.00	

Adequate number of labs/shops

Mean: 3.67

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	66.67	
Good	3.00	1	33.33	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0	0.00	
Total Valid		3	100.00	
Total		3	100.00	

Appropriate size of labs/shops

Mean: 3.33

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	66.67	
Good	3.00	0	0.00	
Fair	2.00	1	33.33	
Poor	1.00	0	0.00	
DK/DU	0.00	0	0.00	
Total Valid		3	100.00	
Total		3	100.00	

Appropriate location of labs/shops

Mean: 4.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	100.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0	0.00	
Total Valid		2	100.00	
Total		2	100.00	

Adequate furnishings of labs/shops

Mean: 2.33

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	33.33	
Good	3.00	0	0.00	
Fair	2.00	1	33.33	
Poor	1.00	1	33.33	
DK/DU	0.00	0		
Total Valid		3	100.00	
Total		3	100.00	

Adequate and appropriate lab/shop equipment

Mean: 2.67

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	33.33	
Good	3.00	0	0.00	
Fair	2.00	2	66.67	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		3	100.00	
Total		3	100.00	

Safety of labs/shops and equipment

Mean: 3.67

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	66.67	
Good	3.00	1	33.33	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		3	100.00	
Total		3	100.00	

Cleanliness of labs/shops and equipment

Mean: 2.67

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	33.33	
Good	3.00	0	0.00	
Fair	2.00	2	66.67	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		3	100.00	
Total		3	100.00	

Availability of faculty/staff parking

Mean: 2.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	33.33	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	2	66.67	
DK/DU	0.00	0		
Total Valid		3	100.00	
Total		3	100.00	

Availability of student parking

Mean: 2.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	33.33	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	2	66.67	
DK/DU	0.00	0		
Total Valid		3	100.00	
Total		3	100.00	

Safety/security in parking lots

Mean: 4.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	100.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		3	100.00	
Total		3	100.00	

Elevators

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	33.33	
Good	3.00	1	33.33	
Fair	2.00	1	33.33	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		3	100.00	
Total		3	100.00	

Cafeteria

Mean: 3.50

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	50.00	
Good	3.00	1	50.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
Total Valid		2	100.00	
Total		2	100.00	

Restrooms (including cleanliness)

Mean: 3.33

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	33.33	
Good	3.00	2	66.67	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		3	100.00	
Total		3	100.00	

Study areas (Library, Cardinal Success Center)

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	33.33	
Good	3.00	1	33.33	
Fair	2.00	1	33.33	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		3	100.00	
Total		3	100.00	

Leisure areas (benches, picnic tables, etc.)

Mean: 2.33

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	33.33	
Good	3.00	0	0.00	
Fair	2.00	1	33.33	
Poor	1.00	1	33.33	
DK/DU	0.00	0		
Total Valid		3	100.00	
Total		3	100.00	

Sidewalks

Mean: 4.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	100.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		3	100.00	
Total		3	100.00	

Stairways

Mean: 3.67

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	66.67	
Good	3.00	1	33.33	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		3	100.00	
Total		3	100.00	

Campus signs/maps

Mean: 3.33

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	33.33	
Good	3.00	2	66.67	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		3	100.00	
Total		3	100.00	

Sustainability and environmental responsibility ("GREEN")

Mean: 4.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	100.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	2		
Total Valid		1	100.00	
Total		1	100.00	

Accessibility of TVCC buildings for persons with disabilities

Mean: 4.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	100.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		3	100.00	
Total		3	100.00	

Adequacy of classroom furniture for persons with disabilities

Mean: 4.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	100.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		3	100.00	
Total		3	100.00	

Adequacy of classroom equipment for persons with disabilities

Mean: 4.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	100.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		3	100.00	
Total		3	100.00	

Adequacy of the Lighting during the Day

Mean: 3.67

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	66.67	
Good	3.00	1	33.33	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		3	100.00	
Total		3	100.00	

Adequacy of the Lighting during the Night

Mean: 3.67

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	66.67	
Good	3.00	1	33.33	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		3	100.00	
Total		3	100.00	

Access to Safety and Emergency Equipment (fire extinguisher, first aid kit, etc.)

Mean: 4.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	100.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		3	100.00	
Total		3	100.00	

Adequacy of the safety and security of your building

Mean: 4.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	100.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		3	100.00	
Total		3	100.00	

Is the number of security personnel adequate

Mean: 4.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	100.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		2	100.00	
Total		2	100.00	

Process for evaluating facilities use

Mean: 3.67

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	66.67	
Good	3.00	1	33.33	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		3	100.00	
Total		3	100.00	

Opportunities to participate in facilities planning (e.g. Long Range Development or Facilities Master Plan)

Mean: 3.67

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	66.67	
Good	3.00	1	33.33	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		3	100.00	
Total		3	100.00	

Effectiveness of planning and prioritization for equipment and facilities (e.g., maintenance, repairs, and procurement)

Mean: 3.67

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	66.67	
Good	3.00	1	33.33	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		3	100.00	
Total		3	100.00	

If you experienced an EMERGENCY on campus, rate the response by security personnel. If you have not experienced an emergency on campus, check the DK/DU (Don't Know/Don't Use) response box. Mean: 4.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	100.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	2		
Total Valid		1	100.00	
Total		1	100.00	

How familiar are you with TVCC's EMERGENCY PROCEDURES (including where to find them)? Mean: 3.33

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	33.33	
Good	3.00	2	66.67	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		3	100.00	
Total		3	100.00	

Trinity Valley Community College


Physical Resources/Facilities Survey

Fall 2017

Athens


Which campus are you located?

Mean: 1.00

Response	Value	Frequency	Percent	Graph
Athens	1.00	112	100.00	
Terrell	2.00	0	0.00	
Palestine	3.00	0	0.00	
Health Science Center	4.00	0	0.00	
Other	5.00	0	0.00	
Total Valid		112	100.00	
Total		112	100.00	


Adequate size of work area/office

Mean: 3.27

Response	Value	Frequency	Percent	Graph
Excellent	4.00	50	45.87	
Good	3.00	41	37.61	
Fair	2.00	15	13.76	
Poor	1.00	3	2.75	
DK/DU	0.00	3		
Total Valid		109	100.00	
Total		109	100.00	

Appropriate location of work area/office

Mean: 3.36

Response	Value	Frequency	Percent	Graph
Excellent	4.00	54	50.47	
Good	3.00	40	37.38	
Fair	2.00	11	10.28	
Poor	1.00	2	1.87	
DK/DU	0.00	3		
Total Valid		107	100.00	
Total		107	100.00	

Adequate and appropriate work area/office equipment

Mean: 3.30

Response	Value	Frequency	Percent	Graph
Excellent	4.00	45	42.86	
Good	3.00	47	44.76	
Fair	2.00	12	11.43	
Poor	1.00	1	0.95	
DK/DU	0.00	3		
Total Valid		105	100.00	
Total		105	100.00	

Safety/security of work area/office

Mean: 3.23

Response	Value	Frequency	Percent	Graph
Excellent	4.00	43	40.19	
Good	3.00	49	45.79	
Fair	2.00	12	11.21	
Poor	1.00	3	2.80	
DK/DU	0.00	3		
Total Valid		107	100.00	
Total		107	100.00	

Cleanliness of work area/office

Mean: 2.96

Response	Value	Frequency	Percent	Graph
Excellent	4.00	34	32.08	
Good	3.00	45	42.45	
Fair	2.00	16	15.09	
Poor	1.00	11	10.38	
DK/DU	0.00	3		
Total Valid		106	100.00	
Total		106	100.00	

Adequate number of classrooms

Mean: 3.17

Response	Value	Frequency	Percent	Graph
Excellent	4.00	24	34.29	
Good	3.00	38	54.29	
Fair	2.00	4	5.71	
Poor	1.00	4	5.71	
DK/DU	0.00	42		
Total Valid		70	100.00	
Total		70	100.00	

Appropriate location of classrooms

Mean: 3.25

Response	Value	Frequency	Percent	Graph
Excellent	4.00	29	42.03	
Good	3.00	31	44.93	
Fair	2.00	6	8.70	
Poor	1.00	3	4.35	
DK/DU	0.00	40		
Total Valid		69	100.00	
Total		69	100.00	

Adequate furnishings of classrooms

Mean: 2.99

Response	Value	Frequency	Percent	Graph
Excellent	4.00	22	31.88	
Good	3.00	30	43.48	
Fair	2.00	11	15.94	
Poor	1.00	6	8.70	
DK/DU	0.00	41		
Total Valid		69	100.00	
Total		69	100.00	

Adequate and appropriate classroom equipment

Mean: 3.04

Response	Value	Frequency	Percent	Graph
Excellent	4.00	23	33.33	
Good	3.00	31	44.93	
Fair	2.00	10	14.49	
Poor	1.00	5	7.25	
DK/DU	0.00	41		
Total Valid		69	100.00	
Total		69	100.00	

Safety and security of classrooms

Mean: 3.09

Response	Value	Frequency	Percent	Graph
Excellent	4.00	25	36.23	
Good	3.00	29	42.03	
Fair	2.00	11	15.94	
Poor	1.00	4	5.80	
DK/DU	0.00	41		
Total Valid		69	100.00	
Total		69	100.00	

Cleanliness of classrooms

Mean: 2.87

Response	Value	Frequency	Percent	Graph
Excellent	4.00	18	26.09	
Good	3.00	31	44.93	
Fair	2.00	13	18.84	
Poor	1.00	7	10.14	
DK/DU	0.00	40		
Total Valid		69	100.00	
Total		69	100.00	

Adequate number of labs/shops

Mean: 3.02

Response	Value	Frequency	Percent	Graph
Excellent	4.00	17	36.17	
Good	3.00	19	40.43	
Fair	2.00	6	12.77	
Poor	1.00	5	10.64	
DK/DU	0.00	64		
Total Valid		47	100.00	
Total		47	100.00	

Appropriate size of labs/shops

Mean: 3.13

Response	Value	Frequency	Percent	Graph
Excellent	4.00	18	38.30	
Good	3.00	19	40.43	
Fair	2.00	8	17.02	
Poor	1.00	2	4.26	
DK/DU	0.00	63		
Total Valid		47	100.00	
Total		47	100.00	

Appropriate location of labs/shops

Mean: 3.21

Response	Value	Frequency	Percent	Graph
Excellent	4.00	20	41.67	
Good	3.00	19	39.58	
Fair	2.00	8	16.67	
Poor	1.00	1	2.08	
DK/DU	0.00	61		
Total Valid		48	100.00	
Total		48	100.00	

Adequate furnishings of labs/shops

Mean: 3.06

Response	Value	Frequency	Percent	Graph
Excellent	4.00	17	36.17	
Good	3.00	18	38.30	
Fair	2.00	10	21.28	
Poor	1.00	2	4.26	
DK/DU	0.00	63		
Total Valid		47	100.00	
Total		47	100.00	

Adequate and appropriate lab/shop equipment

Mean: 2.96

Response	Value	Frequency	Percent	Graph
Excellent	4.00	13	27.66	
Good	3.00	21	44.68	
Fair	2.00	11	23.40	
Poor	1.00	2	4.26	
DK/DU	0.00	63		
Total Valid		47	100.00	
Total		47	100.00	

Safety of labs/shops and equipment

Mean: 3.06

Response	Value	Frequency	Percent	Graph
Excellent	4.00	16	34.04	
Good	3.00	22	46.81	
Fair	2.00	5	10.64	
Poor	1.00	4	8.51	
DK/DU	0.00	63		
Total Valid		47	100.00	
Total		47	100.00	

Cleanliness of labs/shops and equipment

Mean: 2.77

Response	Value	Frequency	Percent	Graph
Excellent	4.00	12	25.00	
Good	3.00	19	39.58	
Fair	2.00	11	22.92	
Poor	1.00	6	12.50	
DK/DU	0.00	62		
Total Valid		48	100.00	
Total		48	100.00	

Availability of faculty/staff parking

Mean: 2.84

Response	Value	Frequency	Percent	Graph
Excellent	4.00	28	25.00	
Good	3.00	51	45.54	
Fair	2.00	20	17.86	
Poor	1.00	13	11.61	
DK/DU	0.00	0		
Total Valid		112	100.00	
Total		112	100.00	

Availability of student parking

Mean: 2.90

Response	Value	Frequency	Percent	Graph
Excellent	4.00	20	22.99	
Good	3.00	46	52.87	
Fair	2.00	13	14.94	
Poor	1.00	8	9.20	
DK/DU	0.00	23		
Total Valid		87	100.00	
Total		87	100.00	

Safety/security in parking lots

Mean: 2.77

Response	Value	Frequency	Percent	Graph
Excellent	4.00	24	22.64	
Good	3.00	49	46.23	
Fair	2.00	18	16.98	
Poor	1.00	15	14.15	
DK/DU	0.00	2		
Total Valid		106	100.00	
Total		106	100.00	

Elevators

Mean: 2.81

Response	Value	Frequency	Percent	Graph
Excellent	4.00	16	17.58	
Good	3.00	50	54.95	
Fair	2.00	17	18.68	
Poor	1.00	8	8.79	
DK/DU	0.00	19		
Total Valid		91	100.00	
Total		91	100.00	

Cafeteria

Mean: 3.01

Response	Value	Frequency	Percent	Graph
Excellent	4.00	21	21.65	
Good	3.00	59	60.82	
Fair	2.00	14	14.43	
Poor	1.00	3	3.09	
DK/DU	0.00	14		
Total Valid		97	100.00	
Total		97	100.00	

Restrooms (including cleanliness)

Mean: 2.57

Response	Value	Frequency	Percent	Graph
Excellent	4.00	19	17.59	
Good	3.00	43	39.81	
Fair	2.00	27	25.00	
Poor	1.00	19	17.59	
DK/DU	0.00	1		
Total Valid		108	100.00	
Total		108	100.00	

Study areas (Library, Cardinal Success Center)

Mean: 3.31

Response	Value	Frequency	Percent	Graph
Excellent	4.00	35	41.18	
Good	3.00	41	48.24	
Fair	2.00	9	10.59	
Poor	1.00	0	0.00	
DK/DU	0.00	26		
Total Valid		85	100.00	
Total		85	100.00	

Leisure areas (benches, picnic tables, etc.)

Mean: 2.83

Response	Value	Frequency	Percent	Graph
Excellent	4.00	19	18.81	
Good	3.00	52	51.49	
Fair	2.00	24	23.76	
Poor	1.00	6	5.94	
DK/DU	0.00	8		
Total Valid		101	100.00	
Total		101	100.00	

Sidewalks

Mean: 3.06

Response	Value	Frequency	Percent	Graph
Excellent	4.00	30	27.03	
Good	3.00	63	56.76	
Fair	2.00	13	11.71	
Poor	1.00	5	4.50	
DK/DU	0.00	0		
Total Valid		111	100.00	
Total		111	100.00	

Stairways

Mean: 3.09

Response	Value	Frequency	Percent	Graph
Excellent	4.00	28	25.45	
Good	3.00	67	60.91	
Fair	2.00	12	10.91	
Poor	1.00	3	2.73	
DK/DU	0.00	1		
Total Valid		110	100.00	
Total		110	100.00	

Campus signs/maps

Mean: 2.72

Response	Value	Frequency	Percent	Graph
Excellent	4.00	20	18.69	
Good	3.00	49	45.79	
Fair	2.00	26	24.30	
Poor	1.00	12	11.21	
DK/DU	0.00	1		
Total Valid		107	100.00	
Total		107	100.00	

Sustainability and environmental responsibility ("GREEN")

Mean: 2.33

Response	Value	Frequency	Percent	Graph
Excellent	4.00	10	11.11	
Good	3.00	30	33.33	
Fair	2.00	30	33.33	
Poor	1.00	20	22.22	
DK/DU	0.00	18		
Total Valid		90	100.00	
Total		90	100.00	

Accessibility of TVCC buildings for persons with disabilities

Mean: 2.86

Response	Value	Frequency	Percent	Graph
Excellent	4.00	20	23.26	
Good	3.00	41	47.67	
Fair	2.00	18	20.93	
Poor	1.00	7	8.14	
DK/DU	0.00	26		
Total Valid		86	100.00	
Total		86	100.00	

Adequacy of classroom furniture for persons with disabilities

Mean: 2.62

Response	Value	Frequency	Percent	Graph
Excellent	4.00	10	15.38	
Good	3.00	29	44.62	
Fair	2.00	17	26.15	
Poor	1.00	9	13.85	
DK/DU	0.00	45		
Total Valid		65	100.00	
Total		65	100.00	

Adequacy of classroom equipment for persons with disabilities

Mean: 2.58

Response	Value	Frequency	Percent	Graph
Excellent	4.00	9	14.52	
Good	3.00	27	43.55	
Fair	2.00	17	27.42	
Poor	1.00	9	14.52	
DK/DU	0.00	48		
Total Valid		62	100.00	
Total		62	100.00	

Adequacy of the Lighting during the Day

Mean: 3.36

Response	Value	Frequency	Percent	Graph
Excellent	4.00	46	41.82	
Good	3.00	59	53.64	
Fair	2.00	4	3.64	
Poor	1.00	1	0.91	
DK/DU	0.00	1		
Total Valid		110	100.00	
Total		110	100.00	

Adequacy of the Lighting during the Night

Mean: 2.54

Response	Value	Frequency	Percent	Graph
Excellent	4.00	18	18.37	
Good	3.00	38	38.78	
Fair	2.00	21	21.43	
Poor	1.00	21	21.43	
DK/DU	0.00	12		
Total Valid		98	100.00	
Total		98	100.00	

Access to Safety and Emergency Equipment (fire extinguisher, first aid kit, etc.)

Mean: 2.76

Response	Value	Frequency	Percent	Graph
Excellent	4.00	17	16.50	
Good	3.00	54	52.43	
Fair	2.00	22	21.36	
Poor	1.00	10	9.71	
DK/DU	0.00	7		
Total Valid		103	100.00	
Total		103	100.00	

Adequacy of the safety and security of your building

Mean: 2.84

Response	Value	Frequency	Percent	Graph
Excellent	4.00	19	17.76	
Good	3.00	61	57.01	
Fair	2.00	18	16.82	
Poor	1.00	9	8.41	
DK/DU	0.00	2		
Total Valid		107	100.00	
Total		107	100.00	

Is the number of security personnel adequate

Mean: 2.87

Response	Value	Frequency	Percent	Graph
Excellent	4.00	17	17.35	
Good	3.00	54	55.10	
Fair	2.00	24	24.49	
Poor	1.00	3	3.06	
DK/DU	0.00	12		
Total Valid		98	100.00	
Total		98	100.00	

Process for evaluating facilities use

Mean: 2.68

Response	Value	Frequency	Percent	Graph
Excellent	4.00	13	16.05	
Good	3.00	37	45.68	
Fair	2.00	23	28.40	
Poor	1.00	8	9.88	
DK/DU	0.00	30		
Total Valid		81	100.00	
Total		81	100.00	

Opportunities to participate in facilities planning (e.g. Long Range Development or Facilities Master Plan)

Mean: 2.32

Response	Value	Frequency	Percent	Graph
Excellent	4.00	8	10.39	
Good	3.00	29	37.66	
Fair	2.00	20	25.97	
Poor	1.00	20	25.97	
DK/DU	0.00	32		
Total Valid		77	100.00	
Total		77	100.00	

Effectiveness of planning and prioritization for equipment and facilities (e.g., maintenance, repairs, and procurement)

Mean: 2.29

Response	Value	Frequency	Percent	Graph
Excellent	4.00	8	10.53	
Good	3.00	23	30.26	
Fair	2.00	28	36.84	
Poor	1.00	17	22.37	
DK/DU	0.00	33		
Total Valid		76	100.00	
Total		76	100.00	

If you experienced an EMERGENCY on campus, rate the response by security personnel. If you have not experienced an emergency on campus, check the DK/DU (Don't Know/Don't Use) response box. Mean: 3.43

Response	Value	Frequency	Percent	Graph
Excellent	4.00	18	60.00	
Good	3.00	8	26.67	
Fair	2.00	3	10.00	
Poor	1.00	1	3.33	
DK/DU	0.00	81		
Total Valid		30	100.00	
Total		30	100.00	

How familiar are you with TVCC's EMERGENCY PROCEDURES (including where to find them)? Mean: 2.71

Response	Value	Frequency	Percent	Graph
Excellent	4.00	15	14.15	
Good	3.00	52	49.06	
Fair	2.00	32	30.19	
Poor	1.00	7	6.60	
DK/DU	0.00	4		
Total Valid		106	100.00	
Total		106	100.00	

Trinity Valley Community College

Physical Resources/Facilities Survey

Fall 2017

Health Science Center

Which campus are you located?

Mean: 4.00

Response	Value	Frequency	Percent	Graph
Athens	1.00	0	0.00	
Terrell	2.00	0	0.00	
Palestine	3.00	0	0.00	
Health Science Center	4.00	16	100.00	
Other	5.00	0	0.00	
Total Valid		16	100.00	
Total		16	100.00	

Adequate size of work area/office

Mean: 2.07

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	13.33	
Good	3.00	2	13.33	
Fair	2.00	6	40.00	
Poor	1.00	5	33.33	
<i>DK/DU</i>	<i>0.00</i>	<i>1</i>		
Total Valid		15	100.00	
Total		15	100.00	

Appropriate location of work area/office

Mean: 2.63

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	12.50	
Good	3.00	9	56.25	
Fair	2.00	2	12.50	
Poor	1.00	3	18.75	
<i>DK/DU</i>	<i>0.00</i>	<i>0</i>		
Total Valid		16	100.00	
Total		16	100.00	

Adequate and appropriate work area/office equipment

Mean: 2.56

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	12.50	
Good	3.00	7	43.75	
Fair	2.00	5	31.25	
Poor	1.00	2	12.50	
DK/DU	0.00	0		
Total Valid		16	100.00	
Total		16	100.00	

Safety/security of work area/office

Mean: 2.63

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	6.25	
Good	3.00	8	50.00	
Fair	2.00	7	43.75	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		16	100.00	
Total		16	100.00	

Cleanliness of work area/office

Mean: 2.88

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	18.75	
Good	3.00	9	56.25	
Fair	2.00	3	18.75	
Poor	1.00	1	6.25	
DK/DU	0.00	0		
Total Valid		16	100.00	
Total		16	100.00	

Adequate number of classrooms

Mean: 1.64

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	4	28.57	
Fair	2.00	1	7.14	
Poor	1.00	9	64.29	
DK/DU	0.00	2		
Total Valid		14	100.00	
Total		14	100.00	

Appropriate location of classrooms

Mean: 2.27

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	6.67	
Good	3.00	5	33.33	
Fair	2.00	6	40.00	
Poor	1.00	3	20.00	
DK/DU	0.00	1		
Total Valid		15	100.00	
Total		15	100.00	

Adequate furnishings of classrooms

Mean: 2.36

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	7.14	
Good	3.00	6	42.86	
Fair	2.00	4	28.57	
Poor	1.00	3	21.43	
DK/DU	0.00	1		
Total Valid		14	100.00	
Total		14	100.00	

Adequate and appropriate classroom equipment

Mean: 2.36

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	9	64.29	
Fair	2.00	1	7.14	
Poor	1.00	4	28.57	
DK/DU	0.00	1		
Total Valid		14	100.00	
Total		14	100.00	

Safety and security of classrooms

Mean: 2.50

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	7.14	
Good	3.00	7	50.00	
Fair	2.00	4	28.57	
Poor	1.00	2	14.29	
DK/DU	0.00	1		
Total Valid		14	100.00	
Total		14	100.00	

Cleanliness of classrooms

Mean: 2.93

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	20.00	
Good	3.00	8	53.33	
Fair	2.00	4	26.67	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
Total Valid		15	100.00	
Total		15	100.00	

Adequate number of labs/shops

Mean: 1.69

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	3	23.08	
Fair	2.00	3	23.08	
Poor	1.00	7	53.85	
DK/DU	0.00	3		
Total Valid		13	100.00	
Total		13	100.00	

Appropriate size of labs/shops

Mean: 1.62

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	3	23.08	
Fair	2.00	2	15.38	
Poor	1.00	8	61.54	
DK/DU	0.00	3		
Total Valid		13	100.00	
Total		13	100.00	

Appropriate location of labs/shops

Mean: 2.15

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	4	30.77	
Fair	2.00	7	53.85	
Poor	1.00	2	15.38	
DK/DU	0.00	3		
Total Valid		13	100.00	
Total		13	100.00	

Adequate furnishings of labs/shops

Mean: 2.15

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	4	30.77	
Fair	2.00	7	53.85	
Poor	1.00	2	15.38	
DK/DU	0.00	3		
Total Valid		13	100.00	
Total		13	100.00	

Adequate and appropriate lab/shop equipment

Mean: 2.31

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	6	46.15	
Fair	2.00	5	38.46	
Poor	1.00	2	15.38	
DK/DU	0.00	2		
Total Valid		13	100.00	
Total		13	100.00	

Safety of labs/shops and equipment

Mean: 2.57

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	7.14	
Good	3.00	7	50.00	
Fair	2.00	5	35.71	
Poor	1.00	1	7.14	
DK/DU	0.00	2		
Total Valid		14	100.00	
Total		14	100.00	

Cleanliness of labs/shops and equipment

Mean: 2.86

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	14.29	
Good	3.00	9	64.29	
Fair	2.00	2	14.29	
Poor	1.00	1	7.14	
DK/DU	0.00	2		
Total Valid		14	100.00	
Total		14	100.00	

Availability of faculty/staff parking

Mean: 1.69

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	6.25	
Good	3.00	4	25.00	
Fair	2.00	0	0.00	
Poor	1.00	11	68.75	
DK/DU	0.00	0		
Total Valid		16	100.00	
Total		16	100.00	

Availability of student parking

Mean: 1.50

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	3	18.75	
Fair	2.00	2	12.50	
Poor	1.00	11	68.75	
DK/DU	0.00	0		
Total Valid		16	100.00	
Total		16	100.00	

Safety/security in parking lots

Mean: 2.25

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	5	31.25	
Fair	2.00	10	62.50	
Poor	1.00	1	6.25	
DK/DU	0.00	0		
Total Valid		16	100.00	
Total		16	100.00	

Elevators

Mean: 2.13

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	6.25	
Good	3.00	5	31.25	
Fair	2.00	5	31.25	
Poor	1.00	5	31.25	
DK/DU	0.00	0		
Total Valid		16	100.00	
Total		16	100.00	

Cafeteria

Mean: 2.29

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	14.29	
Good	3.00	3	42.86	
Fair	2.00	0	0.00	
Poor	1.00	3	42.86	
DK/DU	0.00	8		
Total Valid		7	100.00	
Total		7	100.00	

Restrooms (including cleanliness)

Mean: 2.44

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	12.50	
Good	3.00	7	43.75	
Fair	2.00	3	18.75	
Poor	1.00	4	25.00	
DK/DU	0.00	0		
Total Valid		16	100.00	
Total		16	100.00	

Study areas (Library, Cardinal Success Center)

Mean: 2.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	6	37.50	
Fair	2.00	4	25.00	
Poor	1.00	6	37.50	
DK/DU	0.00	0		
Total Valid		16	100.00	
Total		16	100.00	

Leisure areas (benches, picnic tables, etc.)

Mean: 2.38

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	6.25	
Good	3.00	6	37.50	
Fair	2.00	7	43.75	
Poor	1.00	2	12.50	
DK/DU	0.00	0		
Total Valid		16	100.00	
Total		16	100.00	

Sidewalks

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	13.33	
Good	3.00	11	73.33	
Fair	2.00	2	13.33	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
Total Valid		15	100.00	
Total		15	100.00	

Stairways

Mean: 2.87

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	13.33	
Good	3.00	9	60.00	
Fair	2.00	4	26.67	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		15	100.00	
Total		15	100.00	

Campus signs/maps

Mean: 2.69

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	7.69	
Good	3.00	8	61.54	
Fair	2.00	3	23.08	
Poor	1.00	1	7.69	
DK/DU	0.00	2		
Total Valid		13	100.00	
Total		13	100.00	

Sustainability and environmental responsibility ("GREEN")

Mean: 2.50

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	8.33	
Good	3.00	7	58.33	
Fair	2.00	1	8.33	
Poor	1.00	3	25.00	
DK/DU	0.00	4		
Total Valid		12	100.00	
Total		12	100.00	

Accessibility of TVCC buildings for persons with disabilities

Mean: 2.40

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	6.67	
Good	3.00	6	40.00	
Fair	2.00	6	40.00	
Poor	1.00	2	13.33	
DK/DU	0.00	1		
Total Valid		15	100.00	
Total		15	100.00	

Adequacy of classroom furniture for persons with disabilities

Mean: 2.29

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	7.14	
Good	3.00	4	28.57	
Fair	2.00	7	50.00	
Poor	1.00	2	14.29	
DK/DU	0.00	2		
Total Valid		14	100.00	
Total		14	100.00	

Adequacy of classroom equipment for persons with disabilities

Mean: 2.23

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	7.69	
Good	3.00	3	23.08	
Fair	2.00	7	53.85	
Poor	1.00	2	15.38	
DK/DU	0.00	3		
Total Valid		13	100.00	
Total		13	100.00	

Adequacy of the Lighting during the Day

Mean: 3.13

Response	Value	Frequency	Percent	Graph
Excellent	4.00	5	31.25	
Good	3.00	8	50.00	
Fair	2.00	3	18.75	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		16	100.00	
Total		16	100.00	

Adequacy of the Lighting during the Night

Mean: 2.83

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	16.67	
Good	3.00	6	50.00	
Fair	2.00	4	33.33	
Poor	1.00	0	0.00	
DK/DU	0.00	4		
Total Valid		12	100.00	
Total		12	100.00	

Access to Safety and Emergency Equipment (fire extinguisher, first aid kit, etc.)

Mean: 2.93

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	13.33	
Good	3.00	10	66.67	
Fair	2.00	3	20.00	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
Total Valid		15	100.00	
Total		15	100.00	

Adequacy of the safety and security of your building

Mean: 2.63

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	6.25	
Good	3.00	9	56.25	
Fair	2.00	5	31.25	
Poor	1.00	1	6.25	
DK/DU	0.00	0		
Total Valid		16	100.00	
Total		16	100.00	

Is the number of security personnel adequate

Mean: 2.50

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	14.29	
Good	3.00	3	21.43	
Fair	2.00	9	64.29	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
Total Valid		14	100.00	
Total		14	100.00	

Process for evaluating facilities use

Mean: 2.67

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	11.11	
Good	3.00	5	55.56	
Fair	2.00	2	22.22	
Poor	1.00	1	11.11	
DK/DU	0.00	7		
Total Valid		9	100.00	
Total		9	100.00	

Opportunities to participate in facilities planning (e.g. Long Range Development or Facilities Master Plan)

Mean: 2.88

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	25.00	
Good	3.00	3	37.50	
Fair	2.00	3	37.50	
Poor	1.00	0	0.00	
DK/DU	0.00	8		
Total Valid		8	100.00	
Total		8	100.00	

Effectiveness of planning and prioritization for equipment and facilities (e.g., maintenance, repairs, and procurement)

Mean: 2.57

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	14.29	
Good	3.00	3	42.86	
Fair	2.00	2	28.57	
Poor	1.00	1	14.29	
DK/DU	0.00	9		
Total Valid		7	100.00	
Total		7	100.00	

If you experienced an EMERGENCY on campus, rate the response by security personnel. If you have not experienced an emergency on campus, check the DK/DU (Don't Know/Don't Use) response box. Mean: 2.50

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	25.00	
Good	3.00	1	25.00	
Fair	2.00	1	25.00	
Poor	1.00	1	25.00	
DK/DU	0.00	11		
Total Valid		4	100.00	
Total		4	100.00	

How familiar are you with TVCC's EMERGENCY PROCEDURES (including where to find them)? Mean: 3.13

Response	Value	Frequency	Percent	Graph
Excellent	4.00	4	26.67	
Good	3.00	9	60.00	
Fair	2.00	2	13.33	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
Total Valid		15	100.00	
Total		15	100.00	

Trinity Valley Community College

Physical Resources/Facilities Survey

Fall 2017

Other

Which campus are you located?

Mean: 5.00

Response	Value	Frequency	Percent	Graph
Athens	1.00	0	0.00	
Terrell	2.00	0	0.00	
Palestine	3.00	0	0.00	
Health Science Center	4.00	0	0.00	
Other	5.00	4	100.00	
Total Valid		4	100.00	
Total		4	100.00	

Adequate size of work area/office

Mean: 3.25

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	75.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	1	25.00	
<i>DK/DU</i>	<i>0.00</i>	<i>0</i>		
Total Valid		4	100.00	
Total		4	100.00	

Appropriate location of work area/office

Mean: 3.50

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	75.00	
Good	3.00	0	0.00	
Fair	2.00	1	25.00	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	<i>0</i>		
Total Valid		4	100.00	
Total		4	100.00	

Adequate and appropriate work area/office equipment

Mean: 3.67

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	66.67	
Good	3.00	1	33.33	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		3	100.00	
Total		3	100.00	

Safety/security of work area/office

Mean: 2.25

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	2	50.00	
Fair	2.00	1	25.00	
Poor	1.00	1	25.00	
DK/DU	0.00	0		
Total Valid		4	100.00	
Total		4	100.00	

Cleanliness of work area/office

Mean: 3.50

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	50.00	
Good	3.00	2	50.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		4	100.00	
Total		4	100.00	

Adequate number of classrooms

Mean: 3.33

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	33.33	
Good	3.00	2	66.67	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
Total Valid		3	100.00	
Total		3	100.00	

Appropriate location of classrooms

Mean: 4.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	100.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
Total Valid		3	100.00	
Total		3	100.00	

Adequate furnishings of classrooms

Mean: 2.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	1	33.33	
Fair	2.00	1	33.33	
Poor	1.00	1	33.33	
DK/DU	0.00	1		
Total Valid		3	100.00	
Total		3	100.00	

Adequate and appropriate classroom equipment

Mean: 1.67

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	1	33.33	
Fair	2.00	0	0.00	
Poor	1.00	2	66.67	
DK/DU	0.00	1		
Total Valid		3	100.00	
Total		3	100.00	

Safety and security of classrooms

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	33.33	
Good	3.00	1	33.33	
Fair	2.00	1	33.33	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
Total Valid		3	100.00	
Total		3	100.00	

Cleanliness of classrooms

Mean: 3.67

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	66.67	
Good	3.00	1	33.33	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
Total Valid		3	100.00	
Total		3	100.00	

Adequate number of labs/shops

Mean: 3.67

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	66.67	
Good	3.00	1	33.33	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
Total Valid		3	100.00	
Total		3	100.00	

Appropriate size of labs/shops

Mean: 3.67

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	66.67	
Good	3.00	1	33.33	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
Total Valid		3	100.00	
Total		3	100.00	

Appropriate location of labs/shops

Mean: 4.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	100.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
Total Valid		3	100.00	
Total		3	100.00	

Adequate furnishings of labs/shops

Mean: 3.67

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	66.67	
Good	3.00	1	33.33	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
Total Valid		3	100.00	
Total		3	100.00	

Adequate and appropriate lab/shop equipment

Mean: 3.67

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	66.67	
Good	3.00	1	33.33	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
Total Valid		3	100.00	
Total		3	100.00	

Safety of labs/shops and equipment

Mean: 3.67

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	66.67	
Good	3.00	1	33.33	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
Total Valid		3	100.00	
Total		3	100.00	

Cleanliness of labs/shops and equipment

Mean: 4.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	100.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
Total Valid		3	100.00	
Total		3	100.00	

Availability of faculty/staff parking

Mean: 3.75

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	75.00	
Good	3.00	1	25.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		4	100.00	
Total		4	100.00	

Availability of student parking

Mean: 3.67

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	66.67	
Good	3.00	1	33.33	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
Total Valid		3	100.00	
Total		3	100.00	

Safety/security in parking lots

Mean: 2.50

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	25.00	
Good	3.00	1	25.00	
Fair	2.00	1	25.00	
Poor	1.00	1	25.00	
DK/DU	0.00	0		
Total Valid		4	100.00	
Total		4	100.00	

Elevators

Mean: -

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	4		
Total Valid		0	0.00	
Total		0	0.00	

Cafeteria

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	1	100.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	3		
Total Valid		1	100.00	
Total		1	100.00	

Restrooms (including cleanliness)

Mean: 2.75

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	25.00	
Good	3.00	2	50.00	
Fair	2.00	0	0.00	
Poor	1.00	1	25.00	
DK/DU	0.00	0		
Total Valid		4	100.00	
Total		4	100.00	

Study areas (Library, Cardinal Success Center)

Mean: 2.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	0	0.00	
Fair	2.00	3	100.00	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
Total Valid		3	100.00	
Total		3	100.00	

Leisure areas (benches, picnic tables, etc.)

Mean: 2.25

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	2	50.00	
Fair	2.00	1	25.00	
Poor	1.00	1	25.00	
DK/DU	0.00	0		
Total Valid		4	100.00	
Total		4	100.00	

Sidewalks

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	<p>A 3D bar chart with a vertical axis from 0 to 100. The horizontal axis has four categories: Excellent, Good, Fair, and Poor. The 'Good' bar is the only one with a height of 100. The other bars are at 0.</p>
Good	3.00	3	100.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
Total Valid		3	100.00	
Total		3	100.00	

Stairways

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	<p>A 3D bar chart with a vertical axis from 0 to 100. The horizontal axis has four categories: Excellent, Good, Fair, and Poor. The 'Good' bar is the only one with a height of 100. The other bars are at 0.</p>
Good	3.00	1	100.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	3		
Total Valid		1	100.00	
Total		1	100.00	

Campus signs/maps

Mean: 2.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	33.33	<p>A 3D bar chart with a vertical axis from 0 to 100. The horizontal axis has four categories: Excellent, Good, Fair, and Poor. The 'Excellent' bar is at 33.33 and the 'Poor' bar is at 66.67. The 'Good' and 'Fair' bars are at 0.</p>
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	2	66.67	
DK/DU	0.00	1		
Total Valid		3	100.00	
Total		3	100.00	

Sustainability and environmental responsibility ("GREEN")

Mean: 2.50

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	1	50.00	
Fair	2.00	1	50.00	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
Total Valid		2	100.00	
Total		2	100.00	

Accessibility of TVCC buildings for persons with disabilities

Mean: 3.25

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	25.00	
Good	3.00	3	75.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		4	100.00	
Total		4	100.00	

Adequacy of classroom furniture for persons with disabilities

Mean: 3.25

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	25.00	
Good	3.00	3	75.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		4	100.00	
Total		4	100.00	

Adequacy of classroom equipment for persons with disabilities

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	25.00	
Good	3.00	2	50.00	
Fair	2.00	1	25.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0	0.00	
Total Valid		4	100.00	
Total		4	100.00	

Adequacy of the Lighting during the Day

Mean: 3.25

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	25.00	
Good	3.00	3	75.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0	0.00	
Total Valid		4	100.00	
Total		4	100.00	

Adequacy of the Lighting during the Night

Mean: 3.50

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	50.00	
Good	3.00	1	50.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	2	0.00	
Total Valid		2	100.00	
Total		2	100.00	

Access to Safety and Emergency Equipment (fire extinguisher, first aid kit, etc.)

Mean: 3.25

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	25.00	
Good	3.00	3	75.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		4	100.00	
Total		4	100.00	

Adequacy of the safety and security of your building

Mean: 1.75

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	1	25.00	
Fair	2.00	1	25.00	
Poor	1.00	2	50.00	
DK/DU	0.00	0		
Total Valid		4	100.00	
Total		4	100.00	

Is the number of security personnel adequate

Mean: 1.33

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	0	0.00	
Fair	2.00	1	33.33	
Poor	1.00	2	66.67	
DK/DU	0.00	1		
Total Valid		3	100.00	
Total		3	100.00	

Process for evaluating facilities use

Mean: 2.33

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	1	33.33	
Fair	2.00	2	66.67	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
Total Valid		3	100.00	
Total		3	100.00	

Opportunities to participate in facilities planning (e.g. Long Range Development or Facilities Master Plan)

Mean: 2.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	1	25.00	
Fair	2.00	2	50.00	
Poor	1.00	1	25.00	
DK/DU	0.00	0		
Total Valid		4	100.00	
Total		4	100.00	

Effectiveness of planning and prioritization for equipment and facilities (e.g., maintenance, repairs, and procurement)

Mean: 1.75

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	1	25.00	
Fair	2.00	1	25.00	
Poor	1.00	2	50.00	
DK/DU	0.00	0		
Total Valid		4	100.00	
Total		4	100.00	

If you experienced an EMERGENCY on campus, rate the response by security personnel. If you have not experienced an emergency on campus, check the DK/DU (Don't Know/Don't Use) response box.

Mean: -

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	4		
Total Valid		0	0.00	
Total		0	0.00	

How familiar are you with TVCC's EMERGENCY PROCEDURES (including where to find them)?

Mean: 2.50

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	2	50.00	
Fair	2.00	2	50.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		4	100.00	
Total		4	100.00	

Trinity Valley Community College

Physical Resources/Facilities Survey

Fall 2017

Palestine

Which campus are you located?

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Athens	1.00	0	0.00	
Terrell	2.00	0	0.00	
Palestine	3.00	25	100.00	
Health Science Center	4.00	0	0.00	
Other	5.00	0	0.00	
Total Valid		25	100.00	
Total		25	100.00	

Adequate size of work area/office

Mean: 3.24

Response	Value	Frequency	Percent	Graph
Excellent	4.00	12	48.00	
Good	3.00	10	40.00	
Fair	2.00	0	0.00	
Poor	1.00	3	12.00	
<i>DK/DU</i>	<i>0.00</i>	<i>0</i>		
Total Valid		25	100.00	
Total		25	100.00	

Appropriate location of work area/office

Mean: 3.48

Response	Value	Frequency	Percent	Graph
Excellent	4.00	14	56.00	
Good	3.00	10	40.00	
Fair	2.00	0	0.00	
Poor	1.00	1	4.00	
<i>DK/DU</i>	<i>0.00</i>	<i>0</i>		
Total Valid		25	100.00	
Total		25	100.00	

Adequate and appropriate work area/office equipment

Mean: 3.44

Response	Value	Frequency	Percent	Graph
Excellent	4.00	12	48.00	
Good	3.00	12	48.00	
Fair	2.00	1	4.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		25	100.00	
Total		25	100.00	

Safety/security of work area/office

Mean: 2.84

Response	Value	Frequency	Percent	Graph
Excellent	4.00	5	20.00	
Good	3.00	12	48.00	
Fair	2.00	7	28.00	
Poor	1.00	1	4.00	
DK/DU	0.00	0		
Total Valid		25	100.00	
Total		25	100.00	

Cleanliness of work area/office

Mean: 3.20

Response	Value	Frequency	Percent	Graph
Excellent	4.00	7	28.00	
Good	3.00	17	68.00	
Fair	2.00	0	0.00	
Poor	1.00	1	4.00	
DK/DU	0.00	0		
Total Valid		25	100.00	
Total		25	100.00	

Adequate number of classrooms

Mean: 3.28

Response	Value	Frequency	Percent	Graph
Excellent	4.00	7	38.89	
Good	3.00	9	50.00	
Fair	2.00	2	11.11	
Poor	1.00	0	0.00	
DK/DU	0.00	6		
Total Valid		18	100.00	
Total		18	100.00	

Appropriate location of classrooms

Mean: 3.39

Response	Value	Frequency	Percent	Graph
Excellent	4.00	8	44.44	
Good	3.00	9	50.00	
Fair	2.00	1	5.56	
Poor	1.00	0	0.00	
DK/DU	0.00	6		
Total Valid		18	100.00	
Total		18	100.00	

Adequate furnishings of classrooms

Mean: 2.82

Response	Value	Frequency	Percent	Graph
Excellent	4.00	4	23.53	
Good	3.00	8	47.06	
Fair	2.00	3	17.65	
Poor	1.00	2	11.76	
DK/DU	0.00	6		
Total Valid		17	100.00	
Total		17	100.00	

Adequate and appropriate classroom equipment

Mean: 2.78

Response	Value	Frequency	Percent	Graph
Excellent	4.00	5	27.78	
Good	3.00	6	33.33	
Fair	2.00	5	27.78	
Poor	1.00	2	11.11	
DK/DU	0.00	6		
Total Valid		18	100.00	
Total		18	100.00	

Safety and security of classrooms

Mean: 2.71

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	5.88	
Good	3.00	10	58.82	
Fair	2.00	6	35.29	
Poor	1.00	0	0.00	
DK/DU	0.00	6		
Total Valid		17	100.00	
Total		17	100.00	

Cleanliness of classrooms

Mean: 2.89

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	11.11	
Good	3.00	13	72.22	
Fair	2.00	2	11.11	
Poor	1.00	1	5.56	
DK/DU	0.00	6		
Total Valid		18	100.00	
Total		18	100.00	

Adequate number of labs/shops

Mean: 3.08

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	15.38	
Good	3.00	10	76.92	
Fair	2.00	1	7.69	
Poor	1.00	0	0.00	
DK/DU	0.00	11		
Total Valid		13	100.00	
Total		13	100.00	

Appropriate size of labs/shops

Mean: 3.15

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	23.08	
Good	3.00	9	69.23	
Fair	2.00	1	7.69	
Poor	1.00	0	0.00	
DK/DU	0.00	11		
Total Valid		13	100.00	
Total		13	100.00	

Appropriate location of labs/shops

Mean: 3.31

Response	Value	Frequency	Percent	Graph
Excellent	4.00	5	38.46	
Good	3.00	7	53.85	
Fair	2.00	1	7.69	
Poor	1.00	0	0.00	
DK/DU	0.00	11		
Total Valid		13	100.00	
Total		13	100.00	

Adequate furnishings of labs/shops

Mean: 3.08

Response	Value	Frequency	Percent	Graph
Excellent	4.00	4	33.33	
Good	3.00	5	41.67	
Fair	2.00	3	25.00	
Poor	1.00	0	0.00	
DK/DU	0.00	12		
Total Valid		12	100.00	
Total		12	100.00	

Adequate and appropriate lab/shop equipment

Mean: 3.09

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	27.27	
Good	3.00	6	54.55	
Fair	2.00	2	18.18	
Poor	1.00	0	0.00	
DK/DU	0.00	12		
Total Valid		11	100.00	
Total		11	100.00	

Safety of labs/shops and equipment

Mean: 3.17

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	25.00	
Good	3.00	8	66.67	
Fair	2.00	1	8.33	
Poor	1.00	0	0.00	
DK/DU	0.00	12		
Total Valid		12	100.00	
Total		12	100.00	

Cleanliness of labs/shops and equipment

Mean: 2.92

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	15.38	
Good	3.00	8	61.54	
Fair	2.00	3	23.08	
Poor	1.00	0	0.00	
DK/DU	0.00	11		
Total Valid		13	100.00	
Total		13	100.00	

Availability of faculty/staff parking

Mean: 3.29

Response	Value	Frequency	Percent	Graph
Excellent	4.00	10	41.67	
Good	3.00	11	45.83	
Fair	2.00	3	12.50	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		24	100.00	
Total		24	100.00	

Availability of student parking

Mean: 3.22

Response	Value	Frequency	Percent	Graph
Excellent	4.00	7	30.43	
Good	3.00	14	60.87	
Fair	2.00	2	8.70	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
Total Valid		23	100.00	
Total		23	100.00	

Safety/security in parking lots

Mean: 2.48

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	14.29	
Good	3.00	6	28.57	
Fair	2.00	10	47.62	
Poor	1.00	2	9.52	
DK/DU	0.00	0		
Total Valid		21	100.00	
Total		21	100.00	

Elevators

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	1	100.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	24		
Total Valid		1	100.00	
Total		1	100.00	

Cafeteria

Mean: 2.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	1	50.00	
Fair	2.00	0	0.00	
Poor	1.00	1	50.00	
DK/DU	0.00	22		
Total Valid		2	100.00	
Total		2	100.00	

Restrooms (including cleanliness)

Mean: 2.81

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	9.52	
Good	3.00	15	71.43	
Fair	2.00	2	9.52	
Poor	1.00	2	9.52	
DK/DU	0.00	4		
Total Valid		21	100.00	
Total		21	100.00	

Study areas (Library, Cardinal Success Center)

Mean: 2.89

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	10.53	
Good	3.00	14	73.68	
Fair	2.00	2	10.53	
Poor	1.00	1	5.26	
DK/DU	0.00	6		
Total Valid		19	100.00	
Total		19	100.00	

Leisure areas (benches, picnic tables, etc.)

Mean: 2.21

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	9	47.37	
Fair	2.00	5	26.32	
Poor	1.00	5	26.32	
DK/DU	0.00	3		
Total Valid		19	100.00	
Total		19	100.00	

Sidewalks

Mean: 2.91

Response	Value	Frequency	Percent	Graph
Excellent	4.00	4	18.18	
Good	3.00	13	59.09	
Fair	2.00	4	18.18	
Poor	1.00	1	4.55	
DK/DU	0.00	3		
Total Valid		22	100.00	
Total		22	100.00	

Stairways

Mean: 2.89

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	11.11	
Good	3.00	6	66.67	
Fair	2.00	2	22.22	
Poor	1.00	0	0.00	
DK/DU	0.00	16		
Total Valid		9	100.00	
Total		9	100.00	

Campus signs/maps

Mean: 2.70

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	5.00	
Good	3.00	13	65.00	
Fair	2.00	5	25.00	
Poor	1.00	1	5.00	
DK/DU	0.00	3		
Total Valid		20	100.00	
Total		20	100.00	

Sustainability and environmental responsibility ("GREEN")

Mean: 2.13

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	4	26.67	
Fair	2.00	9	60.00	
Poor	1.00	2	13.33	
<i>DK/DU</i>	<i>0.00</i>	<i>10</i>		
Total Valid		15	100.00	
Total		15	100.00	

Accessibility of TVCC buildings for persons with disabilities

Mean: 2.65

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	13.04	
Good	3.00	11	47.83	
Fair	2.00	7	30.43	
Poor	1.00	2	8.70	
<i>DK/DU</i>	<i>0.00</i>	<i>2</i>		
Total Valid		23	100.00	
Total		23	100.00	

Adequacy of classroom furniture for persons with disabilities

Mean: 2.59

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	11.76	
Good	3.00	7	41.18	
Fair	2.00	7	41.18	
Poor	1.00	1	5.88	
<i>DK/DU</i>	<i>0.00</i>	<i>6</i>		
Total Valid		17	100.00	
Total		17	100.00	

Adequacy of classroom equipment for persons with disabilities

Mean: 2.65

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	11.76	
Good	3.00	8	47.06	
Fair	2.00	6	35.29	
Poor	1.00	1	5.88	
DK/DU	0.00	6		
Total Valid		17	100.00	
Total		17	100.00	

Adequacy of the Lighting during the Day

Mean: 3.20

Response	Value	Frequency	Percent	Graph
Excellent	4.00	7	28.00	
Good	3.00	16	64.00	
Fair	2.00	2	8.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
Total Valid		25	100.00	
Total		25	100.00	

Adequacy of the Lighting during the Night

Mean: 2.77

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	13.64	
Good	3.00	12	54.55	
Fair	2.00	6	27.27	
Poor	1.00	1	4.55	
DK/DU	0.00	3		
Total Valid		22	100.00	
Total		22	100.00	

Access to Safety and Emergency Equipment (fire extinguisher, first aid kit, etc.)

Mean: 2.95

Response	Value	Frequency	Percent	Graph
Excellent	4.00	4	18.18	
Good	3.00	13	59.09	
Fair	2.00	5	22.73	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
Total Valid		22	100.00	
Total		22	100.00	

Adequacy of the safety and security of your building

Mean: 2.52

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	13.04	
Good	3.00	7	30.43	
Fair	2.00	12	52.17	
Poor	1.00	1	4.35	
DK/DU	0.00	1		
Total Valid		23	100.00	
Total		23	100.00	

Is the number of security personnel adequate

Mean: 2.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	4.55	
Good	3.00	6	27.27	
Fair	2.00	7	31.82	
Poor	1.00	8	36.36	
DK/DU	0.00	3		
Total Valid		22	100.00	
Total		22	100.00	

Process for evaluating facilities use

Mean: 2.77

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	15.38	
Good	3.00	6	46.15	
Fair	2.00	5	38.46	
Poor	1.00	0	0.00	
DK/DU	0.00	10		
Total Valid		13	100.00	
Total		13	100.00	

Opportunities to participate in facilities planning (e.g. Long Range Development or Facilities Master Plan)

Mean: 2.25

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	8.33	
Good	3.00	4	33.33	
Fair	2.00	4	33.33	
Poor	1.00	3	25.00	
DK/DU	0.00	11		
Total Valid		12	100.00	
Total		12	100.00	

Effectiveness of planning and prioritization for equipment and facilities (e.g., maintenance, repairs, and procurement)

Mean: 2.50

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	16.67	
Good	3.00	4	33.33	
Fair	2.00	4	33.33	
Poor	1.00	2	16.67	
DK/DU	0.00	11		
Total Valid		12	100.00	
Total		12	100.00	

If you experienced an EMERGENCY on campus, rate the response by security personnel. If you have not experienced an emergency on campus, check the DK/DU (Don't Know/Don't Use) response box. Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	50.00	
Good	3.00	1	16.67	
Fair	2.00	1	16.67	
Poor	1.00	1	16.67	
DK/DU	0.00	19		
Total Valid		6	100.00	
Total		6	100.00	

How familiar are you with TVCC's EMERGENCY PROCEDURES (including where to find them)? Mean: 2.55

Response	Value	Frequency	Percent	Graph
Excellent	4.00	4	20.00	
Good	3.00	6	30.00	
Fair	2.00	7	35.00	
Poor	1.00	3	15.00	
DK/DU	0.00	4		
Total Valid		20	100.00	
Total		20	100.00	

Trinity Valley Community College

Physical Resources/Facilities Survey

Fall 2017

Terrell

Which campus are you located?

Mean: 2.00

Response	Value	Frequency	Percent	Graph
Athens	1.00	0	0.00	
Terrell	2.00	30	100.00	
Palestine	3.00	0	0.00	
Health Science Center	4.00	0	0.00	
Other	5.00	0	0.00	
Total Valid		30	100.00	
Total		30	100.00	

Adequate size of work area/office

Mean: 3.07

Response	Value	Frequency	Percent	Graph
Excellent	4.00	11	39.29	
Good	3.00	11	39.29	
Fair	2.00	3	10.71	
Poor	1.00	3	10.71	
DK/DU	0.00	2		
Total Valid		28	100.00	
Total		28	100.00	

Appropriate location of work area/office

Mean: 3.33

Response	Value	Frequency	Percent	Graph
Excellent	4.00	14	51.85	
Good	3.00	10	37.04	
Fair	2.00	1	3.70	
Poor	1.00	2	7.41	
DK/DU	0.00	2		
Total Valid		27	100.00	
Total		27	100.00	

Adequate and appropriate work area/office equipment

Mean: 3.19

Response	Value	Frequency	Percent	Graph
Excellent	4.00	11	40.74	
Good	3.00	12	44.44	
Fair	2.00	2	7.41	
Poor	1.00	2	7.41	
DK/DU	0.00	2		
Total Valid		27	100.00	
Total		27	100.00	

Safety/security of work area/office

Mean: 2.96

Response	Value	Frequency	Percent	Graph
Excellent	4.00	9	33.33	
Good	3.00	11	40.74	
Fair	2.00	4	14.81	
Poor	1.00	3	11.11	
DK/DU	0.00	1		
Total Valid		27	100.00	
Total		27	100.00	

Cleanliness of work area/office

Mean: 2.96

Response	Value	Frequency	Percent	Graph
Excellent	4.00	8	29.63	
Good	3.00	14	51.85	
Fair	2.00	1	3.70	
Poor	1.00	4	14.81	
DK/DU	0.00	2		
Total Valid		27	100.00	
Total		27	100.00	

Adequate number of classrooms

Mean: 3.22

Response	Value	Frequency	Percent	Graph
Excellent	4.00	10	37.04	
Good	3.00	13	48.15	
Fair	2.00	4	14.81	
Poor	1.00	0	0.00	
DK/DU	0.00	3		
Total Valid		27	100.00	
Total		27	100.00	

Appropriate location of classrooms

Mean: 3.46

Response	Value	Frequency	Percent	Graph
Excellent	4.00	14	53.85	
Good	3.00	10	38.46	
Fair	2.00	2	7.69	
Poor	1.00	0	0.00	
DK/DU	0.00	3		
Total Valid		26	100.00	
Total		26	100.00	

Adequate furnishings of classrooms

Mean: 3.15

Response	Value	Frequency	Percent	Graph
Excellent	4.00	10	38.46	
Good	3.00	13	50.00	
Fair	2.00	0	0.00	
Poor	1.00	3	11.54	
DK/DU	0.00	3		
Total Valid		26	100.00	
Total		26	100.00	

Adequate and appropriate classroom equipment

Mean: 3.12

Response	Value	Frequency	Percent	Graph
Excellent	4.00	10	38.46	
Good	3.00	11	42.31	
Fair	2.00	3	11.54	
Poor	1.00	2	7.69	
DK/DU	0.00	3		
Total Valid		26	100.00	
Total		26	100.00	

Safety and security of classrooms

Mean: 2.69

Response	Value	Frequency	Percent	Graph
Excellent	4.00	6	23.08	
Good	3.00	9	34.62	
Fair	2.00	8	30.77	
Poor	1.00	3	11.54	
DK/DU	0.00	3		
Total Valid		26	100.00	
Total		26	100.00	

Cleanliness of classrooms

Mean: 2.71

Response	Value	Frequency	Percent	Graph
Excellent	4.00	5	20.83	
Good	3.00	11	45.83	
Fair	2.00	4	16.67	
Poor	1.00	4	16.67	
DK/DU	0.00	4		
Total Valid		24	100.00	
Total		24	100.00	

Adequate number of labs/shops

Mean: 2.09

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	9.09	
Good	3.00	3	27.27	
Fair	2.00	3	27.27	
Poor	1.00	4	36.36	
DK/DU	0.00	18		
Total Valid		11	100.00	
Total		11	100.00	

Appropriate size of labs/shops

Mean: 2.27

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	18.18	
Good	3.00	3	27.27	
Fair	2.00	2	18.18	
Poor	1.00	4	36.36	
DK/DU	0.00	18		
Total Valid		11	100.00	
Total		11	100.00	

Appropriate location of labs/shops

Mean: 2.73

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	27.27	
Good	3.00	3	27.27	
Fair	2.00	4	36.36	
Poor	1.00	1	9.09	
DK/DU	0.00	18		
Total Valid		11	100.00	
Total		11	100.00	

Adequate furnishings of labs/shops

Mean: 2.36

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	9.09	
Good	3.00	5	45.45	
Fair	2.00	2	18.18	
Poor	1.00	3	27.27	
DK/DU	0.00	18		
Total Valid		11	100.00	
Total		11	100.00	

Adequate and appropriate lab/shop equipment

Mean: 2.45

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	9.09	
Good	3.00	6	54.55	
Fair	2.00	1	9.09	
Poor	1.00	3	27.27	
DK/DU	0.00	18		
Total Valid		11	100.00	
Total		11	100.00	

Safety of labs/shops and equipment

Mean: 2.09

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	4	36.36	
Fair	2.00	4	36.36	
Poor	1.00	3	27.27	
DK/DU	0.00	18		
Total Valid		11	100.00	
Total		11	100.00	

Cleanliness of labs/shops and equipment

Mean: 2.60

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	20.00	
Good	3.00	4	40.00	
Fair	2.00	2	20.00	
Poor	1.00	2	20.00	
DK/DU	0.00	19		
Total Valid		10	100.00	
Total		10	100.00	

Availability of faculty/staff parking

Mean: 2.43

Response	Value	Frequency	Percent	Graph
Excellent	4.00	4	13.33	
Good	3.00	9	30.00	
Fair	2.00	13	43.33	
Poor	1.00	4	13.33	
DK/DU	0.00	0		
Total Valid		30	100.00	
Total		30	100.00	

Availability of student parking

Mean: 2.41

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	11.11	
Good	3.00	11	40.74	
Fair	2.00	7	25.93	
Poor	1.00	6	22.22	
DK/DU	0.00	3		
Total Valid		27	100.00	
Total		27	100.00	

Safety/security in parking lots

Mean: 2.69

Response	Value	Frequency	Percent	Graph
Excellent	4.00	5	17.24	
Good	3.00	12	41.38	
Fair	2.00	10	34.48	
Poor	1.00	2	6.90	
DK/DU	0.00	0		
Total Valid		29	100.00	
Total		29	100.00	

Elevators

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	1	100.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	28		
Total Valid		1	100.00	
Total		1	100.00	

Cafeteria

Mean: 3.40

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	40.00	
Good	3.00	3	60.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	25		
Total Valid		5	100.00	
Total		5	100.00	

Restrooms (including cleanliness)

Mean: 2.60

Response	Value	Frequency	Percent	Graph
Excellent	4.00	4	13.33	
Good	3.00	12	40.00	
Fair	2.00	12	40.00	
Poor	1.00	2	6.67	
DK/DU	0.00	0		
Total Valid		30	100.00	
Total		30	100.00	

Study areas (Library, Cardinal Success Center)

Mean: 3.07

Response	Value	Frequency	Percent	Graph
Excellent	4.00	7	24.14	
Good	3.00	18	62.07	
Fair	2.00	3	10.34	
Poor	1.00	1	3.45	
DK/DU	0.00	1		
Total Valid		29	100.00	
Total		29	100.00	

Leisure areas (benches, picnic tables, etc.)

Mean: 2.47

Response	Value	Frequency	Percent	Graph
Excellent	4.00	4	13.33	
Good	3.00	10	33.33	
Fair	2.00	12	40.00	
Poor	1.00	4	13.33	
DK/DU	0.00	0		
Total Valid		30	100.00	
Total		30	100.00	

Sidewalks

Mean: 2.66

Response	Value	Frequency	Percent	Graph
Excellent	4.00	5	17.24	
Good	3.00	14	48.28	
Fair	2.00	5	17.24	
Poor	1.00	5	17.24	
DK/DU	0.00	0		
Total Valid		29	100.00	
Total		29	100.00	

Stairways

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	33.33	
Good	3.00	1	33.33	
Fair	2.00	1	33.33	
Poor	1.00	0	0.00	
DK/DU	0.00	25		
Total Valid		3	100.00	
Total		3	100.00	

Campus signs/maps

Mean: 2.74

Response	Value	Frequency	Percent	Graph
Excellent	4.00	5	18.52	
Good	3.00	15	55.56	
Fair	2.00	2	7.41	
Poor	1.00	5	18.52	
DK/DU	0.00	1		
Total Valid		27	100.00	
Total		27	100.00	

Sustainability and environmental responsibility ("GREEN")

Mean: 2.09

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	9.09	
Good	3.00	6	27.27	
Fair	2.00	6	27.27	
Poor	1.00	8	36.36	
DK/DU	0.00	7		
Total Valid		22	100.00	
Total		22	100.00	

Accessibility of TVCC buildings for persons with disabilities

Mean: 2.50

Response	Value	Frequency	Percent	Graph
Excellent	4.00	6	21.43	
Good	3.00	10	35.71	
Fair	2.00	4	14.29	
Poor	1.00	8	28.57	
DK/DU	0.00	2		
Total Valid		28	100.00	
Total		28	100.00	

Adequacy of classroom furniture for persons with disabilities

Mean: 2.38

Response	Value	Frequency	Percent	Graph
Excellent	4.00	4	16.67	
Good	3.00	6	25.00	
Fair	2.00	9	37.50	
Poor	1.00	5	20.83	
DK/DU	0.00	5		
Total Valid		24	100.00	
Total		24	100.00	

Adequacy of classroom equipment for persons with disabilities

Mean: 2.30

Response	Value	Frequency	Percent	Graph
Excellent	4.00	4	17.39	
Good	3.00	7	30.43	
Fair	2.00	4	17.39	
Poor	1.00	8	34.78	
DK/DU	0.00	5		
Total Valid		23	100.00	
Total		23	100.00	

Adequacy of the Lighting during the Day

Mean: 3.33

Response	Value	Frequency	Percent	Graph
Excellent	4.00	13	43.33	
Good	3.00	15	50.00	
Fair	2.00	1	3.33	
Poor	1.00	1	3.33	
DK/DU	0.00	0		
Total Valid		30	100.00	
Total		30	100.00	

Adequacy of the Lighting during the Night

Mean: 3.04

Response	Value	Frequency	Percent	Graph
Excellent	4.00	8	32.00	
Good	3.00	10	40.00	
Fair	2.00	7	28.00	
Poor	1.00	0	0.00	
DK/DU	0.00	4		
Total Valid		25	100.00	
Total		25	100.00	

Access to Safety and Emergency Equipment (fire extinguisher, first aid kit, etc.)

Mean: 2.50

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	11.54	
Good	3.00	13	50.00	
Fair	2.00	4	15.38	
Poor	1.00	6	23.08	
DK/DU	0.00	3		
Total Valid		26	100.00	
Total		26	100.00	

Adequacy of the safety and security of your building

Mean: 2.39

Response	Value	Frequency	Percent	Graph
Excellent	4.00	4	14.29	
Good	3.00	9	32.14	
Fair	2.00	9	32.14	
Poor	1.00	6	21.43	
DK/DU	0.00	0		
Total Valid		28	100.00	
Total		28	100.00	

Is the number of security personnel adequate

Mean: 2.83

Response	Value	Frequency	Percent	Graph
Excellent	4.00	5	17.24	
Good	3.00	17	58.62	
Fair	2.00	4	13.79	
Poor	1.00	3	10.34	
DK/DU	0.00	0		
Total Valid		29	100.00	
Total		29	100.00	

Process for evaluating facilities use

Mean: 2.54

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	15.38	
Good	3.00	5	38.46	
Fair	2.00	4	30.77	
Poor	1.00	2	15.38	
DK/DU	0.00	16		
Total Valid		13	100.00	
Total		13	100.00	

Opportunities to participate in facilities planning (e.g. Long Range Development or Facilities Master Plan)

Mean: 2.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	14.29	
Good	3.00	3	21.43	
Fair	2.00	2	14.29	
Poor	1.00	7	50.00	
DK/DU	0.00	15		
Total Valid		14	100.00	
Total		14	100.00	

Effectiveness of planning and prioritization for equipment and facilities (e.g., maintenance, repairs, and procurement)

Mean: 2.42

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	16.67	
Good	3.00	5	41.67	
Fair	2.00	1	8.33	
Poor	1.00	4	33.33	
DK/DU	0.00	16		
Total Valid		12	100.00	
Total		12	100.00	

If you experienced an EMERGENCY on campus, rate the response by security personnel. If you have not experienced an emergency on campus, check the DK/DU (Don't Know/Don't Use) response box. Mean: 3.63

Response	Value	Frequency	Percent	Graph
Excellent	4.00	5	62.50	
Good	3.00	3	37.50	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	21		
Total Valid		8	100.00	
Total		8	100.00	

How familiar are you with TVCC's EMERGENCY PROCEDURES (including where to find them)? Mean: 2.43

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	10.71	
Good	3.00	12	42.86	
Fair	2.00	7	25.00	
Poor	1.00	6	21.43	
DK/DU	0.00	1		
Total Valid		28	100.00	
Total		28	100.00	