

# Trinity Valley Community College

## Physical Resources/Facilities Survey

Fall 2018

Campus: BLANK

Which campus are you located?

Mean: -

Response	Value	Frequency	Percent	Graph
Athens	1.00	0	0.00	
Palestine	2.00	0	0.00	
Terrell	3.00	0	0.00	
Health Science Center	4.00	0	0.00	
Other	5.00	0	0.00	
<b>Total Valid</b>		0	0.00	
<b>Total</b>		0	0.00	

Adequate size of work area/office

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	1	100.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
<b>Total Valid</b>		1	100.00	
<b>Total</b>		1	100.00	

Appropriate location of work area/office

Mean: 4.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	100.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
<b>Total Valid</b>		1	100.00	
<b>Total</b>		1	100.00	

Adequate and appropriate work area/office equipment

Mean: 4.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	100.00	<p>A 3D bar chart with a vertical axis from 0 to 100. The horizontal axis has four categories: Excellent (blue bar at 100%), Good (red bar at 0%), Fair (grey bar at 0%), and Poor (olive bar at 0%).</p>
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	<i>0</i>		
<b>Total Valid</b>		2	100.00	
<b>Total</b>		2	100.00	

Safety/security of work area/office

Mean: 4.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	100.00	<p>A 3D bar chart with a vertical axis from 0 to 100. The horizontal axis has four categories: Excellent (blue bar at 100%), Good (red bar at 0%), Fair (grey bar at 0%), and Poor (olive bar at 0%).</p>
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	<i>0</i>		
<b>Total Valid</b>		2	100.00	
<b>Total</b>		2	100.00	

Cleanliness of work area/office

Mean: 4.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	100.00	<p>A 3D bar chart with a vertical axis from 0 to 100. The horizontal axis has four categories: Excellent (blue bar at 100%), Good (red bar at 0%), Fair (grey bar at 0%), and Poor (olive bar at 0%).</p>
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	<i>0</i>		
<b>Total Valid</b>		2	100.00	
<b>Total</b>		2	100.00	

Adequate number of classrooms

Mean: 4.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	100.00	<p>A 3D bar chart with a vertical axis from 0 to 100. The horizontal axis has four categories: Excellent (blue bar at 100), Good (red bar at 0), Fair (grey bar at 0), and Poor (olive bar at 0).</p>
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
<b>Total Valid</b>		2	100.00	
<b>Total</b>		2	100.00	

Appropriate location of classrooms

Mean: 4.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	100.00	<p>A 3D bar chart with a vertical axis from 0 to 100. The horizontal axis has four categories: Excellent (blue bar at 100), Good (red bar at 0), Fair (grey bar at 0), and Poor (olive bar at 0).</p>
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
<b>Total Valid</b>		2	100.00	
<b>Total</b>		2	100.00	

Adequate furnishings of classrooms

Mean: 3.50

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	50.00	<p>A 3D bar chart with a vertical axis from 0 to 100. The horizontal axis has four categories: Excellent (blue bar at 50), Good (red bar at 50), Fair (grey bar at 0), and Poor (olive bar at 0).</p>
Good	3.00	1	50.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
<b>Total Valid</b>		2	100.00	
<b>Total</b>		2	100.00	

Adequate and appropriate classroom equipment

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	2	100.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
<b>Total Valid</b>		2	100.00	
<b>Total</b>		2	100.00	

Safety and security of classrooms

Mean: 3.50

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	50.00	
Good	3.00	1	50.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
<b>Total Valid</b>		2	100.00	
<b>Total</b>		2	100.00	

Cleanliness of classrooms

Mean: 4.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	100.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
<b>Total Valid</b>		2	100.00	
<b>Total</b>		2	100.00	

Adequate number of labs/shops

Mean: -

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	<i>1</i>		
<b>Total Valid</b>		0	0.00	
<b>Total</b>		0	0.00	

Appropriate size of labs/shops

Mean: -

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	<i>1</i>		
<b>Total Valid</b>		0	0.00	
<b>Total</b>		0	0.00	

Appropriate location of labs/shops

Mean: -

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	<i>1</i>		
<b>Total Valid</b>		0	0.00	
<b>Total</b>		0	0.00	

Adequate furnishings of labs/shops

Mean: -

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	<i>1</i>		
<b>Total Valid</b>		0	0.00	
<b>Total</b>		0	0.00	

Adequate and appropriate lab/shop equipment

Mean: -

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	<i>1</i>		
<b>Total Valid</b>		0	0.00	
<b>Total</b>		0	0.00	

Safety of labs/shops and equipment

Mean: -

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	<i>1</i>		
<b>Total Valid</b>		0	0.00	
<b>Total</b>		0	0.00	

Cleanliness of labs/shops and equipment

Mean: -

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
<b>Total Valid</b>		0	0.00	
<b>Total</b>		0	0.00	

Availability of faculty/staff parking

Mean: 4.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	100.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
<b>Total Valid</b>		2	100.00	
<b>Total</b>		2	100.00	

Availability of student parking

Mean: -

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
<b>Total Valid</b>		0	0.00	
<b>Total</b>		0	0.00	

Safety/security in parking lots

Mean: 4.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	100.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
<b>Total Valid</b>		1	100.00	
<b>Total</b>		1	100.00	

Elevators

Mean: 4.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	100.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
<b>Total Valid</b>		1	100.00	
<b>Total</b>		1	100.00	

Cafeteria

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	1	100.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
<b>Total Valid</b>		1	100.00	
<b>Total</b>		1	100.00	

## Restrooms (including cleanliness)

Mean: 3.50

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	50.00	
Good	3.00	1	50.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0	0.00	
<b>Total Valid</b>		2	100.00	
<b>Total</b>		2	100.00	

## Study areas (Library, Cardinal Success Center)

Mean: -

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	1	0.00	
<b>Total Valid</b>		0	0.00	
<b>Total</b>		0	0.00	

## Leisure areas (benches, picnic tables, etc.)

Mean: -

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0	0.00	
<b>Total Valid</b>		0	0.00	
<b>Total</b>		0	0.00	

Sidewalks

Mean: 4.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	100.00	<p>A 3D bar chart with a vertical axis from 0 to 100. The horizontal axis has four categories: Excellent (blue bar at 100), Good (red bar at 0), Fair (grey bar at 0), and Poor (olive bar at 0).</p>
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
<b>Total Valid</b>		2	100.00	
<b>Total</b>		2	100.00	

Stairways

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	<p>A 3D bar chart with a vertical axis from 0 to 100. The horizontal axis has four categories: Excellent (blue bar at 0), Good (red bar at 100), Fair (grey bar at 0), and Poor (olive bar at 0).</p>
Good	3.00	1	100.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
<b>Total Valid</b>		1	100.00	
<b>Total</b>		1	100.00	

Campus signs/maps

Mean: 4.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	100.00	<p>A 3D bar chart with a vertical axis from 0 to 100. The horizontal axis has four categories: Excellent (blue bar at 100), Good (red bar at 0), Fair (grey bar at 0), and Poor (olive bar at 0).</p>
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
<b>Total Valid</b>		2	100.00	
<b>Total</b>		2	100.00	

Sustainability and environmental responsibility ("GREEN")

Mean: 4.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	100.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
<b>Total Valid</b>		1	100.00	
<b>Total</b>		1	100.00	

Accessibility of TVCC buildings for persons with disabilities

Mean: 4.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	100.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
<b>Total Valid</b>		2	100.00	
<b>Total</b>		2	100.00	

Adequacy of classroom furniture for persons with disabilities

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	50.00	
Good	3.00	0	0.00	
Fair	2.00	1	50.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
<b>Total Valid</b>		2	100.00	
<b>Total</b>		2	100.00	

Adequacy of classroom equipment for persons with disabilities

Mean: 4.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	100.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
<b>Total Valid</b>		1	100.00	
<b>Total</b>		1	100.00	

Adequacy of the Lighting during the Day

Mean: 4.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	100.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
<b>Total Valid</b>		2	100.00	
<b>Total</b>		2	100.00	

Adequacy of the Lighting during the Night

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	2	100.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
<b>Total Valid</b>		2	100.00	
<b>Total</b>		2	100.00	

Access to Safety and Emergency Equipment (fire extinguisher, first aid kit, etc.)

Mean: 4.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	100.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
<b>Total Valid</b>		1	100.00	
<b>Total</b>		1	100.00	

Adequacy of the safety and security of your building

Mean: 3.50

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	50.00	
Good	3.00	1	50.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
<b>Total Valid</b>		2	100.00	
<b>Total</b>		2	100.00	

Is the number of security personnel adequate

Mean: 4.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	100.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
<b>Total Valid</b>		1	100.00	
<b>Total</b>		1	100.00	

Process for evaluating facilities use

Mean: -

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	<i>1</i>		
<b>Total Valid</b>		0	0.00	
<b>Total</b>		0	0.00	

Opportunities to participate in facilities planning (e.g. Long Range Development or Facilities Master Plan)

Mean: -

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	<i>1</i>		
<b>Total Valid</b>		0	0.00	
<b>Total</b>		0	0.00	

Effectiveness of planning and prioritization for equipment and facilities (e.g., maintenance, repairs, and procurement)

Mean: -

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	<i>0</i>		
<b>Total Valid</b>		0	0.00	
<b>Total</b>		0	0.00	

If you experienced an EMERGENCY on campus, rate the response by security personnel. If you have not experienced an emergency on campus, check the DK/DU (Don't Know/Don't Use) response box. Mean: 4.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	100.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
<b>Total Valid</b>		1	100.00	
<b>Total</b>		1	100.00	

How familiar are you with TVCC's EMERGENCY PROCEDURES (including where to find them)? Mean: 2.50

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	1	50.00	
Fair	2.00	1	50.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
<b>Total Valid</b>		2	100.00	
<b>Total</b>		2	100.00	

# Trinity Valley Community College

## Physical Resources/Facilities Survey

Fall 2018

**Campus:** Athens

Which campus are you located?

Mean: 1.00

Response	Value	Frequency	Percent	Graph
Athens	1.00	116	100.00	
Palestine	2.00	0	0.00	
Terrell	3.00	0	0.00	
Health Science Center	4.00	0	0.00	
Other	5.00	0	0.00	
<b>Total Valid</b>		116	100.00	
<b>Total</b>		116	100.00	

Adequate size of work area/office

Mean: 3.11

Response	Value	Frequency	Percent	Graph
Excellent	4.00	42	36.84	
Good	3.00	49	42.98	
Fair	2.00	17	14.91	
Poor	1.00	6	5.26	
<i>DK/DU</i>	<i>0.00</i>	<i>2</i>		
<b>Total Valid</b>		114	100.00	
<b>Total</b>		114	100.00	

Appropriate location of work area/office

Mean: 3.24

Response	Value	Frequency	Percent	Graph
Excellent	4.00	50	45.45	
Good	3.00	42	38.18	
Fair	2.00	12	10.91	
Poor	1.00	6	5.45	
<i>DK/DU</i>	<i>0.00</i>	<i>2</i>		
<b>Total Valid</b>		110	100.00	
<b>Total</b>		110	100.00	

Adequate and appropriate work area/office equipment

Mean: 3.14

Response	Value	Frequency	Percent	Graph
Excellent	4.00	39	35.14	
Good	3.00	51	45.95	
Fair	2.00	18	16.22	
Poor	1.00	3	2.70	
DK/DU	0.00	2		
<b>Total Valid</b>		111	100.00	
<b>Total</b>		111	100.00	

Safety/security of work area/office

Mean: 3.15

Response	Value	Frequency	Percent	Graph
Excellent	4.00	43	38.74	
Good	3.00	50	45.05	
Fair	2.00	10	9.01	
Poor	1.00	8	7.21	
DK/DU	0.00	2		
<b>Total Valid</b>		111	100.00	
<b>Total</b>		111	100.00	

Cleanliness of work area/office

Mean: 2.85

Response	Value	Frequency	Percent	Graph
Excellent	4.00	27	25.00	
Good	3.00	46	42.59	
Fair	2.00	27	25.00	
Poor	1.00	8	7.41	
DK/DU	0.00	2		
<b>Total Valid</b>		108	100.00	
<b>Total</b>		108	100.00	

Adequate number of classrooms

Mean: 3.12

Response	Value	Frequency	Percent	Graph
Excellent	4.00	23	33.33	
Good	3.00	32	46.38	
Fair	2.00	13	18.84	
Poor	1.00	1	1.45	
DK/DU	0.00	46		
<b>Total Valid</b>		69	100.00	
<b>Total</b>		69	100.00	

Appropriate location of classrooms

Mean: 3.31

Response	Value	Frequency	Percent	Graph
Excellent	4.00	27	38.57	
Good	3.00	39	55.71	
Fair	2.00	3	4.29	
Poor	1.00	1	1.43	
DK/DU	0.00	44		
<b>Total Valid</b>		70	100.00	
<b>Total</b>		70	100.00	

Adequate furnishings of classrooms

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	20	28.57	
Good	3.00	31	44.29	
Fair	2.00	18	25.71	
Poor	1.00	1	1.43	
DK/DU	0.00	44		
<b>Total Valid</b>		70	100.00	
<b>Total</b>		70	100.00	

Adequate and appropriate classroom equipment

Mean: 3.01

Response	Value	Frequency	Percent	Graph
Excellent	4.00	18	26.87	
Good	3.00	35	52.24	
Fair	2.00	11	16.42	
Poor	1.00	3	4.48	
DK/DU	0.00	46		
<b>Total Valid</b>		67	100.00	
<b>Total</b>		67	100.00	

Safety and security of classrooms

Mean: 3.03

Response	Value	Frequency	Percent	Graph
Excellent	4.00	17	24.29	
Good	3.00	42	60.00	
Fair	2.00	7	10.00	
Poor	1.00	4	5.71	
DK/DU	0.00	44		
<b>Total Valid</b>		70	100.00	
<b>Total</b>		70	100.00	

Cleanliness of classrooms

Mean: 2.97

Response	Value	Frequency	Percent	Graph
Excellent	4.00	17	24.29	
Good	3.00	36	51.43	
Fair	2.00	15	21.43	
Poor	1.00	2	2.86	
DK/DU	0.00	44		
<b>Total Valid</b>		70	100.00	
<b>Total</b>		70	100.00	

Adequate number of labs/shops

Mean: 3.14

Response	Value	Frequency	Percent	Graph
Excellent	4.00	16	32.00	
Good	3.00	26	52.00	
Fair	2.00	7	14.00	
Poor	1.00	1	2.00	
DK/DU	0.00	64		
<b>Total Valid</b>		50	100.00	
<b>Total</b>		50	100.00	

Appropriate size of labs/shops

Mean: 3.12

Response	Value	Frequency	Percent	Graph
Excellent	4.00	17	34.00	
Good	3.00	24	48.00	
Fair	2.00	7	14.00	
Poor	1.00	2	4.00	
DK/DU	0.00	63		
<b>Total Valid</b>		50	100.00	
<b>Total</b>		50	100.00	

Appropriate location of labs/shops

Mean: 3.26

Response	Value	Frequency	Percent	Graph
Excellent	4.00	18	36.00	
Good	3.00	28	56.00	
Fair	2.00	3	6.00	
Poor	1.00	1	2.00	
DK/DU	0.00	63		
<b>Total Valid</b>		50	100.00	
<b>Total</b>		50	100.00	

Adequate furnishings of labs/shops

Mean: 3.16

Response	Value	Frequency	Percent	Graph
Excellent	4.00	16	32.65	
Good	3.00	27	55.10	
Fair	2.00	4	8.16	
Poor	1.00	2	4.08	
<i>DK/DU</i>	<i>0.00</i>	63		
<b>Total Valid</b>		49	100.00	
<b>Total</b>		49	100.00	

Adequate and appropriate lab/shop equipment

Mean: 3.16

Response	Value	Frequency	Percent	Graph
Excellent	4.00	16	32.65	
Good	3.00	27	55.10	
Fair	2.00	4	8.16	
Poor	1.00	2	4.08	
<i>DK/DU</i>	<i>0.00</i>	64		
<b>Total Valid</b>		49	100.00	
<b>Total</b>		49	100.00	

Safety of labs/shops and equipment

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	13	26.00	
Good	3.00	28	56.00	
Fair	2.00	5	10.00	
Poor	1.00	4	8.00	
<i>DK/DU</i>	<i>0.00</i>	62		
<b>Total Valid</b>		50	100.00	
<b>Total</b>		50	100.00	

Cleanliness of labs/shops and equipment

Mean: 2.94

Response	Value	Frequency	Percent	Graph
Excellent	4.00	10	20.41	
Good	3.00	27	55.10	
Fair	2.00	11	22.45	
Poor	1.00	1	2.04	
DK/DU	0.00	64		
<b>Total Valid</b>		49	100.00	
<b>Total</b>		49	100.00	

Availability of faculty/staff parking

Mean: 2.90

Response	Value	Frequency	Percent	Graph
Excellent	4.00	32	27.83	
Good	3.00	47	40.87	
Fair	2.00	29	25.22	
Poor	1.00	7	6.09	
DK/DU	0.00	0		
<b>Total Valid</b>		115	100.00	
<b>Total</b>		115	100.00	

Availability of student parking

Mean: 2.89

Response	Value	Frequency	Percent	Graph
Excellent	4.00	22	23.91	
Good	3.00	45	48.91	
Fair	2.00	18	19.57	
Poor	1.00	7	7.61	
DK/DU	0.00	20		
<b>Total Valid</b>		92	100.00	
<b>Total</b>		92	100.00	

Safety/security in parking lots

Mean: 2.94

Response	Value	Frequency	Percent	Graph
Excellent	4.00	30	27.03	
Good	3.00	53	47.75	
Fair	2.00	19	17.12	
Poor	1.00	9	8.11	
DK/DU	0.00	2		
<b>Total Valid</b>		111	100.00	
<b>Total</b>		111	100.00	

Elevators

Mean: 2.80

Response	Value	Frequency	Percent	Graph
Excellent	4.00	15	17.44	
Good	3.00	49	56.98	
Fair	2.00	12	13.95	
Poor	1.00	10	11.63	
DK/DU	0.00	29		
<b>Total Valid</b>		86	100.00	
<b>Total</b>		86	100.00	

Cafeteria

Mean: 3.05

Response	Value	Frequency	Percent	Graph
Excellent	4.00	26	26.53	
Good	3.00	52	53.06	
Fair	2.00	19	19.39	
Poor	1.00	1	1.02	
DK/DU	0.00	18		
<b>Total Valid</b>		98	100.00	
<b>Total</b>		98	100.00	

## Restrooms (including cleanliness)

Mean: 2.72

Response	Value	Frequency	Percent	Graph
Excellent	4.00	21	18.42	
Good	3.00	51	44.74	
Fair	2.00	31	27.19	
Poor	1.00	11	9.65	
DK/DU	0.00	2		
<b>Total Valid</b>		114	100.00	
<b>Total</b>		114	100.00	

## Study areas (Library, Cardinal Success Center)

Mean: 3.29

Response	Value	Frequency	Percent	Graph
Excellent	4.00	31	37.35	
Good	3.00	46	55.42	
Fair	2.00	5	6.02	
Poor	1.00	1	1.20	
DK/DU	0.00	30		
<b>Total Valid</b>		83	100.00	
<b>Total</b>		83	100.00	

## Leisure areas (benches, picnic tables, etc.)

Mean: 2.92

Response	Value	Frequency	Percent	Graph
Excellent	4.00	26	26.00	
Good	3.00	47	47.00	
Fair	2.00	20	20.00	
Poor	1.00	7	7.00	
DK/DU	0.00	16		
<b>Total Valid</b>		100	100.00	
<b>Total</b>		100	100.00	

Sidewalks

Mean: 2.95

Response	Value	Frequency	Percent	Graph
Excellent	4.00	28	24.78	
Good	3.00	59	52.21	
Fair	2.00	18	15.93	
Poor	1.00	8	7.08	
DK/DU	0.00	2		
<b>Total Valid</b>		113	100.00	
<b>Total</b>		113	100.00	

Stairways

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	27	25.23	
Good	3.00	57	53.27	
Fair	2.00	19	17.76	
Poor	1.00	4	3.74	
DK/DU	0.00	8		
<b>Total Valid</b>		107	100.00	
<b>Total</b>		107	100.00	

Campus signs/maps

Mean: 2.64

Response	Value	Frequency	Percent	Graph
Excellent	4.00	18	16.07	
Good	3.00	52	46.43	
Fair	2.00	26	23.21	
Poor	1.00	16	14.29	
DK/DU	0.00	2		
<b>Total Valid</b>		112	100.00	
<b>Total</b>		112	100.00	

Sustainability and environmental responsibility ("GREEN")

Mean: 2.37

Response	Value	Frequency	Percent	Graph
Excellent	4.00	11	10.89	
Good	3.00	41	40.59	
Fair	2.00	23	22.77	
Poor	1.00	26	25.74	
DK/DU	0.00	14		
<b>Total Valid</b>		101	100.00	
<b>Total</b>		101	100.00	

Accessibility of TVCC buildings for persons with disabilities

Mean: 2.71

Response	Value	Frequency	Percent	Graph
Excellent	4.00	20	21.98	
Good	3.00	36	39.56	
Fair	2.00	24	26.37	
Poor	1.00	11	12.09	
DK/DU	0.00	24		
<b>Total Valid</b>		91	100.00	
<b>Total</b>		91	100.00	

Adequacy of classroom furniture for persons with disabilities

Mean: 2.66

Response	Value	Frequency	Percent	Graph
Excellent	4.00	15	21.13	
Good	3.00	27	38.03	
Fair	2.00	19	26.76	
Poor	1.00	10	14.08	
DK/DU	0.00	45		
<b>Total Valid</b>		71	100.00	
<b>Total</b>		71	100.00	

Adequacy of classroom equipment for persons with disabilities

Mean: 2.70

Response	Value	Frequency	Percent	Graph
Excellent	4.00	15	21.13	
Good	3.00	28	39.44	
Fair	2.00	20	28.17	
Poor	1.00	8	11.27	
DK/DU	0.00	45		
<b>Total Valid</b>		71	100.00	
<b>Total</b>		71	100.00	

Adequacy of the Lighting during the Day

Mean: 3.36

Response	Value	Frequency	Percent	Graph
Excellent	4.00	49	42.98	
Good	3.00	59	51.75	
Fair	2.00	4	3.51	
Poor	1.00	2	1.75	
DK/DU	0.00	1		
<b>Total Valid</b>		114	100.00	
<b>Total</b>		114	100.00	

Adequacy of the Lighting during the Night

Mean: 2.59

Response	Value	Frequency	Percent	Graph
Excellent	4.00	21	21.21	
Good	3.00	34	34.34	
Fair	2.00	26	26.26	
Poor	1.00	18	18.18	
DK/DU	0.00	16		
<b>Total Valid</b>		99	100.00	
<b>Total</b>		99	100.00	

Access to Safety and Emergency Equipment (fire extinguisher, first aid kit, etc.)

Mean: 2.87

Response	Value	Frequency	Percent	Graph
Excellent	4.00	28	24.78	
Good	3.00	53	46.90	
Fair	2.00	21	18.58	
Poor	1.00	11	9.73	
DK/DU	0.00	3		
<b>Total Valid</b>		113	100.00	
<b>Total</b>		113	100.00	

Adequacy of the safety and security of your building

Mean: 2.90

Response	Value	Frequency	Percent	Graph
Excellent	4.00	25	21.93	
Good	3.00	61	53.51	
Fair	2.00	20	17.54	
Poor	1.00	8	7.02	
DK/DU	0.00	1		
<b>Total Valid</b>		114	100.00	
<b>Total</b>		114	100.00	

Is the number of security personnel adequate

Mean: 2.93

Response	Value	Frequency	Percent	Graph
Excellent	4.00	27	25.71	
Good	3.00	49	46.67	
Fair	2.00	24	22.86	
Poor	1.00	5	4.76	
DK/DU	0.00	9		
<b>Total Valid</b>		105	100.00	
<b>Total</b>		105	100.00	

Process for evaluating facilities use

Mean: 2.67

Response	Value	Frequency	Percent	Graph
Excellent	4.00	11	13.41	
Good	3.00	40	48.78	
Fair	2.00	24	29.27	
Poor	1.00	7	8.54	
<i>DK/DU</i>	<i>0.00</i>	<i>34</i>		
<b>Total Valid</b>		82	100.00	
<b>Total</b>		82	100.00	

Opportunities to participate in facilities planning (e.g. Long Range Development or Facilities Master Plan)

Mean: 2.27

Response	Value	Frequency	Percent	Graph
Excellent	4.00	9	11.11	
Good	3.00	27	33.33	
Fair	2.00	22	27.16	
Poor	1.00	23	28.40	
<i>DK/DU</i>	<i>0.00</i>	<i>35</i>		
<b>Total Valid</b>		81	100.00	
<b>Total</b>		81	100.00	

Effectiveness of planning and prioritization for equipment and facilities (e.g., maintenance, repairs, and procurement)

Mean: 2.31

Response	Value	Frequency	Percent	Graph
Excellent	4.00	8	10.00	
Good	3.00	27	33.75	
Fair	2.00	27	33.75	
Poor	1.00	18	22.50	
<i>DK/DU</i>	<i>0.00</i>	<i>32</i>		
<b>Total Valid</b>		80	100.00	
<b>Total</b>		80	100.00	

If you experienced an EMERGENCY on campus, rate the response by security personnel. If you have not experienced an emergency on campus, check the DK/DU (Don't Know/Don't Use) response box. Mean: 3.33

Response	Value	Frequency	Percent	Graph
Excellent	4.00	22	56.41	
Good	3.00	11	28.21	
Fair	2.00	3	7.69	
Poor	1.00	3	7.69	
DK/DU	0.00	76		
<b>Total Valid</b>		39	100.00	
<b>Total</b>		39	100.00	

How familiar are you with TVCC's EMERGENCY PROCEDURES (including where to find them)? Mean: 2.89

Response	Value	Frequency	Percent	Graph
Excellent	4.00	25	22.52	
Good	3.00	58	52.25	
Fair	2.00	19	17.12	
Poor	1.00	9	8.11	
DK/DU	0.00	3		
<b>Total Valid</b>		111	100.00	
<b>Total</b>		111	100.00	

# Trinity Valley Community College

## Physical Resources/Facilities Survey

Fall 2018

**Campus:** Health Science Center

Which campus are you located?

Mean: 4.00

Response	Value	Frequency	Percent	Graph
Athens	1.00	0	0.00	
Palestine	2.00	0	0.00	
Terrell	3.00	0	0.00	
Health Science Center	4.00	11	100.00	
Other	5.00	0	0.00	
<b>Total Valid</b>		11	100.00	
<b>Total</b>		11	100.00	

Adequate size of work area/office

Mean: 1.73

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	9.09	
Good	3.00	0	0.00	
Fair	2.00	5	45.45	
Poor	1.00	5	45.45	
<i>DK/DU</i>	<i>0.00</i>	<i>0</i>		
<b>Total Valid</b>		11	100.00	
<b>Total</b>		11	100.00	

Appropriate location of work area/office

Mean: 2.36

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	9.09	
Good	3.00	5	45.45	
Fair	2.00	2	18.18	
Poor	1.00	3	27.27	
<i>DK/DU</i>	<i>0.00</i>	<i>0</i>		
<b>Total Valid</b>		11	100.00	
<b>Total</b>		11	100.00	

Adequate and appropriate work area/office equipment

Mean: 2.09

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	9.09	
Good	3.00	3	27.27	
Fair	2.00	3	27.27	
Poor	1.00	4	36.36	
DK/DU	0.00	0		
<b>Total Valid</b>		11	100.00	
<b>Total</b>		11	100.00	

Safety/security of work area/office

Mean: 2.73

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	27.27	
Good	3.00	3	27.27	
Fair	2.00	4	36.36	
Poor	1.00	1	9.09	
DK/DU	0.00	0		
<b>Total Valid</b>		11	100.00	
<b>Total</b>		11	100.00	

Cleanliness of work area/office

Mean: 2.82

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	9.09	
Good	3.00	7	63.64	
Fair	2.00	3	27.27	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
<b>Total Valid</b>		11	100.00	
<b>Total</b>		11	100.00	

Adequate number of classrooms

Mean: 1.56

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	2	22.22	
Fair	2.00	1	11.11	
Poor	1.00	6	66.67	
DK/DU	0.00	2		
<b>Total Valid</b>		9	100.00	
<b>Total</b>		9	100.00	

Appropriate location of classrooms

Mean: 2.44

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	11.11	
Good	3.00	4	44.44	
Fair	2.00	2	22.22	
Poor	1.00	2	22.22	
DK/DU	0.00	2		
<b>Total Valid</b>		9	100.00	
<b>Total</b>		9	100.00	

Adequate furnishings of classrooms

Mean: 2.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	2	22.22	
Fair	2.00	5	55.56	
Poor	1.00	2	22.22	
DK/DU	0.00	2		
<b>Total Valid</b>		9	100.00	
<b>Total</b>		9	100.00	

Adequate and appropriate classroom equipment

Mean: 2.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	2	22.22	
Fair	2.00	5	55.56	
Poor	1.00	2	22.22	
DK/DU	0.00	2		
<b>Total Valid</b>		9	100.00	
<b>Total</b>		9	100.00	

Safety and security of classrooms

Mean: 2.33

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	11.11	
Good	3.00	2	22.22	
Fair	2.00	5	55.56	
Poor	1.00	1	11.11	
DK/DU	0.00	2		
<b>Total Valid</b>		9	100.00	
<b>Total</b>		9	100.00	

Cleanliness of classrooms

Mean: 2.80

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	10.00	
Good	3.00	6	60.00	
Fair	2.00	3	30.00	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
<b>Total Valid</b>		10	100.00	
<b>Total</b>		10	100.00	

Adequate number of labs/shops

Mean: 1.56

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	1	11.11	
Fair	2.00	3	33.33	
Poor	1.00	5	55.56	
DK/DU	0.00	2		
<b>Total Valid</b>		9	100.00	
<b>Total</b>		9	100.00	

Appropriate size of labs/shops

Mean: 1.33

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	0	0.00	
Fair	2.00	3	33.33	
Poor	1.00	6	66.67	
DK/DU	0.00	2		
<b>Total Valid</b>		9	100.00	
<b>Total</b>		9	100.00	

Appropriate location of labs/shops

Mean: 2.22

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	11.11	
Good	3.00	2	22.22	
Fair	2.00	4	44.44	
Poor	1.00	2	22.22	
DK/DU	0.00	2		
<b>Total Valid</b>		9	100.00	
<b>Total</b>		9	100.00	

Adequate furnishings of labs/shops

Mean: 2.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	2	22.22	
Fair	2.00	5	55.56	
Poor	1.00	2	22.22	
DK/DU	0.00	2		
<b>Total Valid</b>		9	100.00	
<b>Total</b>		9	100.00	

Adequate and appropriate lab/shop equipment

Mean: 2.11

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	3	33.33	
Fair	2.00	4	44.44	
Poor	1.00	2	22.22	
DK/DU	0.00	2		
<b>Total Valid</b>		9	100.00	
<b>Total</b>		9	100.00	

Safety of labs/shops and equipment

Mean: 2.33

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	11.11	
Good	3.00	3	33.33	
Fair	2.00	3	33.33	
Poor	1.00	2	22.22	
DK/DU	0.00	2		
<b>Total Valid</b>		9	100.00	
<b>Total</b>		9	100.00	

Cleanliness of labs/shops and equipment

Mean: 2.78

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	22.22	
Good	3.00	4	44.44	
Fair	2.00	2	22.22	
Poor	1.00	1	11.11	
DK/DU	0.00	2		
<b>Total Valid</b>		9	100.00	
<b>Total</b>		9	100.00	

Availability of faculty/staff parking

Mean: 1.91

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	18.18	
Good	3.00	1	9.09	
Fair	2.00	2	18.18	
Poor	1.00	6	54.55	
DK/DU	0.00	0		
<b>Total Valid</b>		11	100.00	
<b>Total</b>		11	100.00	

Availability of student parking

Mean: 1.45

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	2	18.18	
Fair	2.00	1	9.09	
Poor	1.00	8	72.73	
DK/DU	0.00	0		
<b>Total Valid</b>		11	100.00	
<b>Total</b>		11	100.00	

Safety/security in parking lots

Mean: 2.36

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	9.09	
Good	3.00	3	27.27	
Fair	2.00	6	54.55	
Poor	1.00	1	9.09	
DK/DU	0.00	0		
<b>Total Valid</b>		11	100.00	
<b>Total</b>		11	100.00	

Elevators

Mean: 1.36

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	0	0.00	
Fair	2.00	4	36.36	
Poor	1.00	7	63.64	
DK/DU	0.00	0		
<b>Total Valid</b>		11	100.00	
<b>Total</b>		11	100.00	

Cafeteria

Mean: 1.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	3	100.00	
DK/DU	0.00	8		
<b>Total Valid</b>		3	100.00	
<b>Total</b>		3	100.00	

## Restrooms (including cleanliness)

Mean: 2.36

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	9.09	
Good	3.00	3	27.27	
Fair	2.00	6	54.55	
Poor	1.00	1	9.09	
DK/DU	0.00	0		
<b>Total Valid</b>		11	100.00	
<b>Total</b>		11	100.00	

## Study areas (Library, Cardinal Success Center)

Mean: 1.90

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	10.00	
Good	3.00	1	10.00	
Fair	2.00	4	40.00	
Poor	1.00	4	40.00	
DK/DU	0.00	0		
<b>Total Valid</b>		10	100.00	
<b>Total</b>		10	100.00	

## Leisure areas (benches, picnic tables, etc.)

Mean: 2.36

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	9.09	
Good	3.00	4	36.36	
Fair	2.00	4	36.36	
Poor	1.00	2	18.18	
DK/DU	0.00	0		
<b>Total Valid</b>		11	100.00	
<b>Total</b>		11	100.00	

Sidewalks

Mean: 2.55

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	9.09	
Good	3.00	6	54.55	
Fair	2.00	2	18.18	
Poor	1.00	2	18.18	
DK/DU	0.00	0		
<b>Total Valid</b>		11	100.00	
<b>Total</b>		11	100.00	

Stairways

Mean: 2.45

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	9.09	
Good	3.00	5	45.45	
Fair	2.00	3	27.27	
Poor	1.00	2	18.18	
DK/DU	0.00	0		
<b>Total Valid</b>		11	100.00	
<b>Total</b>		11	100.00	

Campus signs/maps

Mean: 2.60

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	10.00	
Good	3.00	5	50.00	
Fair	2.00	3	30.00	
Poor	1.00	1	10.00	
DK/DU	0.00	1		
<b>Total Valid</b>		10	100.00	
<b>Total</b>		10	100.00	

Sustainability and environmental responsibility ("GREEN")

Mean: 2.56

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	11.11	
Good	3.00	4	44.44	
Fair	2.00	3	33.33	
Poor	1.00	1	11.11	
DK/DU	0.00	2		
<b>Total Valid</b>		9	100.00	
<b>Total</b>		9	100.00	

Accessibility of TVCC buildings for persons with disabilities

Mean: 2.09

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	9.09	
Good	3.00	2	18.18	
Fair	2.00	5	45.45	
Poor	1.00	3	27.27	
DK/DU	0.00	0		
<b>Total Valid</b>		11	100.00	
<b>Total</b>		11	100.00	

Adequacy of classroom furniture for persons with disabilities

Mean: 2.10

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	10.00	
Good	3.00	2	20.00	
Fair	2.00	4	40.00	
Poor	1.00	3	30.00	
DK/DU	0.00	1		
<b>Total Valid</b>		10	100.00	
<b>Total</b>		10	100.00	

Adequacy of classroom equipment for persons with disabilities

Mean: 2.30

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	10.00	
Good	3.00	3	30.00	
Fair	2.00	4	40.00	
Poor	1.00	2	20.00	
DK/DU	0.00	1		
<b>Total Valid</b>		10	100.00	
<b>Total</b>		10	100.00	

Adequacy of the Lighting during the Day

Mean: 3.27

Response	Value	Frequency	Percent	Graph
Excellent	4.00	5	45.45	
Good	3.00	4	36.36	
Fair	2.00	2	18.18	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
<b>Total Valid</b>		11	100.00	
<b>Total</b>		11	100.00	

Adequacy of the Lighting during the Night

Mean: 2.78

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	22.22	
Good	3.00	4	44.44	
Fair	2.00	2	22.22	
Poor	1.00	1	11.11	
DK/DU	0.00	2		
<b>Total Valid</b>		9	100.00	
<b>Total</b>		9	100.00	

Access to Safety and Emergency Equipment (fire extinguisher, first aid kit, etc.)

Mean: 3.20

Response	Value	Frequency	Percent	Graph
Excellent	4.00	4	40.00	
Good	3.00	4	40.00	
Fair	2.00	2	20.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
<b>Total Valid</b>		10	100.00	
<b>Total</b>		10	100.00	

Adequacy of the safety and security of your building

Mean: 2.50

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	20.00	
Good	3.00	3	30.00	
Fair	2.00	3	30.00	
Poor	1.00	2	20.00	
DK/DU	0.00	1		
<b>Total Valid</b>		10	100.00	
<b>Total</b>		10	100.00	

Is the number of security personnel adequate

Mean: 2.36

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	18.18	
Good	3.00	2	18.18	
Fair	2.00	5	45.45	
Poor	1.00	2	18.18	
DK/DU	0.00	0		
<b>Total Valid</b>		11	100.00	
<b>Total</b>		11	100.00	

Process for evaluating facilities use

Mean: 2.38

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	12.50	
Good	3.00	3	37.50	
Fair	2.00	2	25.00	
Poor	1.00	2	25.00	
DK/DU	0.00	3		
<b>Total Valid</b>		8	100.00	
<b>Total</b>		8	100.00	

Opportunities to participate in facilities planning (e.g. Long Range Development or Facilities Master Plan)

Mean: 2.75

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	25.00	
Good	3.00	3	37.50	
Fair	2.00	2	25.00	
Poor	1.00	1	12.50	
DK/DU	0.00	3		
<b>Total Valid</b>		8	100.00	
<b>Total</b>		8	100.00	

Effectiveness of planning and prioritization for equipment and facilities (e.g., maintenance, repairs, and procurement)

Mean: 2.29

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	14.29	
Good	3.00	1	14.29	
Fair	2.00	4	57.14	
Poor	1.00	1	14.29	
DK/DU	0.00	4		
<b>Total Valid</b>		7	100.00	
<b>Total</b>		7	100.00	

If you experienced an EMERGENCY on campus, rate the response by security personnel. If you have not experienced an emergency on campus, check the DK/DU (Don't Know/Don't Use) response box. Mean: 2.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	0	0.00	
Fair	2.00	1	100.00	
Poor	1.00	0	0.00	
DK/DU	0.00	10		
<b>Total Valid</b>		1	100.00	
<b>Total</b>		1	100.00	

How familiar are you with TVCC's EMERGENCY PROCEDURES (including where to find them)? Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	11.11	
Good	3.00	7	77.78	
Fair	2.00	1	11.11	
Poor	1.00	0	0.00	
DK/DU	0.00	2		
<b>Total Valid</b>		9	100.00	
<b>Total</b>		9	100.00	

# Trinity Valley Community College

## Physical Resources/Facilities Survey

Fall 2018

**Campus:** Other

Which campus are you located?

Mean: 5.00

Response	Value	Frequency	Percent	Graph
Athens	1.00	0	0.00	
Palestine	2.00	0	0.00	
Terrell	3.00	0	0.00	
Health Science Center	4.00	0	0.00	
Other	5.00	4	100.00	
<b>Total Valid</b>		4	100.00	
<b>Total</b>		4	100.00	

Adequate size of work area/office

Mean: 2.33

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	1	33.33	
Fair	2.00	2	66.67	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	<i>1</i>		
<b>Total Valid</b>		3	100.00	
<b>Total</b>		3	100.00	

Appropriate location of work area/office

Mean: 3.67

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	66.67	
Good	3.00	1	33.33	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	<i>1</i>		
<b>Total Valid</b>		3	100.00	
<b>Total</b>		3	100.00	

Adequate and appropriate work area/office equipment

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	3	100.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
<b>Total Valid</b>		3	100.00	
<b>Total</b>		3	100.00	

Safety/security of work area/office

Mean: 3.67

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	66.67	
Good	3.00	1	33.33	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
<b>Total Valid</b>		3	100.00	
<b>Total</b>		3	100.00	

Cleanliness of work area/office

Mean: 3.33

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	33.33	
Good	3.00	2	66.67	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
<b>Total Valid</b>		3	100.00	
<b>Total</b>		3	100.00	

Adequate number of classrooms

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	1	100.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	3		
<b>Total Valid</b>		1	100.00	
<b>Total</b>		1	100.00	

Appropriate location of classrooms

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	1	100.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	3		
<b>Total Valid</b>		1	100.00	
<b>Total</b>		1	100.00	

Adequate furnishings of classrooms

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	1	100.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	3		
<b>Total Valid</b>		1	100.00	
<b>Total</b>		1	100.00	

Adequate and appropriate classroom equipment

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	1	100.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	3		
<b>Total Valid</b>		1	100.00	
<b>Total</b>		1	100.00	

Safety and security of classrooms

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	1	100.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	3		
<b>Total Valid</b>		1	100.00	
<b>Total</b>		1	100.00	

Cleanliness of classrooms

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	1	100.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	3		
<b>Total Valid</b>		1	100.00	
<b>Total</b>		1	100.00	

Adequate number of labs/shops

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	1	100.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	3		
<b>Total Valid</b>		1	100.00	
<b>Total</b>		1	100.00	

Appropriate size of labs/shops

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	1	100.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	3		
<b>Total Valid</b>		1	100.00	
<b>Total</b>		1	100.00	

Appropriate location of labs/shops

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	1	100.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	3		
<b>Total Valid</b>		1	100.00	
<b>Total</b>		1	100.00	

Adequate furnishings of labs/shops

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	<p>A 3D bar chart with a vertical axis from 0 to 100. The horizontal axis has four categories: Excellent, Good, Fair, and Poor. The 'Good' bar is orange and reaches 100. The other bars (Excellent, Fair, Poor) are very short, representing 0%.</p>
Good	3.00	1	100.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	3		
<b>Total Valid</b>		1	100.00	
<b>Total</b>		1	100.00	

Adequate and appropriate lab/shop equipment

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	<p>A 3D bar chart with a vertical axis from 0 to 100. The horizontal axis has four categories: Excellent, Good, Fair, and Poor. The 'Good' bar is orange and reaches 100. The other bars (Excellent, Fair, Poor) are very short, representing 0%.</p>
Good	3.00	1	100.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	3		
<b>Total Valid</b>		1	100.00	
<b>Total</b>		1	100.00	

Safety of labs/shops and equipment

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	<p>A 3D bar chart with a vertical axis from 0 to 100. The horizontal axis has four categories: Excellent, Good, Fair, and Poor. The 'Good' bar is orange and reaches 100. The other bars (Excellent, Fair, Poor) are very short, representing 0%.</p>
Good	3.00	1	100.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	3		
<b>Total Valid</b>		1	100.00	
<b>Total</b>		1	100.00	

Cleanliness of labs/shops and equipment

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	1	100.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	3		
<b>Total Valid</b>		1	100.00	
<b>Total</b>		1	100.00	

Availability of faculty/staff parking

Mean: 2.33

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	1	33.33	
Fair	2.00	2	66.67	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
<b>Total Valid</b>		3	100.00	
<b>Total</b>		3	100.00	

Availability of student parking

Mean: -

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	4		
<b>Total Valid</b>		0	0.00	
<b>Total</b>		0	0.00	

Safety/security in parking lots

Mean: 3.67

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	66.67	
Good	3.00	1	33.33	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	<i>1</i>		
<b>Total Valid</b>		3	100.00	
<b>Total</b>		3	100.00	

Elevators

Mean: -

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	<i>4</i>		
<b>Total Valid</b>		0	0.00	
<b>Total</b>		0	0.00	

Cafeteria

Mean: 2.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	0	0.00	
Fair	2.00	1	100.00	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	<i>3</i>		
<b>Total Valid</b>		1	100.00	
<b>Total</b>		1	100.00	

## Restrooms (including cleanliness)

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	33.33	
Good	3.00	1	33.33	
Fair	2.00	1	33.33	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
<b>Total Valid</b>		3	100.00	
<b>Total</b>		3	100.00	

## Study areas (Library, Cardinal Success Center)

Mean: -

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	0	0.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	4		
<b>Total Valid</b>		0	0.00	
<b>Total</b>		0	0.00	

## Leisure areas (benches, picnic tables, etc.)

Mean: 2.50

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	1	50.00	
Fair	2.00	1	50.00	
Poor	1.00	0	0.00	
DK/DU	0.00	2		
<b>Total Valid</b>		2	100.00	
<b>Total</b>		2	100.00	

Sidewalks

Mean: 2.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	<p>A 3D bar chart with a vertical axis from 0 to 100. The horizontal axis has four categories: Excellent (dark blue), Good (red), Fair (grey), and Poor (yellow). The 'Fair' bar reaches 100, while the others are at 0.</p>
Good	3.00	0	0.00	
Fair	2.00	1	100.00	
Poor	1.00	0	0.00	
DK/DU	0.00	3		
<b>Total Valid</b>		1	100.00	
<b>Total</b>		1	100.00	

Stairways

Mean: 2.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	<p>A 3D bar chart with a vertical axis from 0 to 100. The horizontal axis has four categories: Excellent (dark blue), Good (red), Fair (grey), and Poor (yellow). The 'Fair' bar reaches 100, while the others are at 0.</p>
Good	3.00	0	0.00	
Fair	2.00	1	100.00	
Poor	1.00	0	0.00	
DK/DU	0.00	3		
<b>Total Valid</b>		1	100.00	
<b>Total</b>		1	100.00	

Campus signs/maps

Mean: 1.50

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	<p>A 3D bar chart with a vertical axis from 0 to 100. The horizontal axis has four categories: Excellent (dark blue), Good (red), Fair (grey), and Poor (yellow). The 'Fair' bar reaches 50 and the 'Poor' bar reaches 50. 'Excellent' and 'Good' bars are at 0.</p>
Good	3.00	0	0.00	
Fair	2.00	1	50.00	
Poor	1.00	1	50.00	
DK/DU	0.00	2		
<b>Total Valid</b>		2	100.00	
<b>Total</b>		2	100.00	

Sustainability and environmental responsibility ("GREEN")

Mean: 2.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	0	0.00	
Fair	2.00	1	100.00	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	3		
<b>Total Valid</b>		1	100.00	
<b>Total</b>		1	100.00	

Accessibility of TVCC buildings for persons with disabilities

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	33.33	
Good	3.00	1	33.33	
Fair	2.00	1	33.33	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	1		
<b>Total Valid</b>		3	100.00	
<b>Total</b>		3	100.00	

Adequacy of classroom furniture for persons with disabilities

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	2	100.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	2		
<b>Total Valid</b>		2	100.00	
<b>Total</b>		2	100.00	

Adequacy of classroom equipment for persons with disabilities

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	1	100.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	3		
<b>Total Valid</b>		1	100.00	
<b>Total</b>		1	100.00	

Adequacy of the Lighting during the Day

Mean: 3.33

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	33.33	
Good	3.00	2	66.67	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	1		
<b>Total Valid</b>		3	100.00	
<b>Total</b>		3	100.00	

Adequacy of the Lighting during the Night

Mean: 2.67

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	2	66.67	
Fair	2.00	1	33.33	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	1		
<b>Total Valid</b>		3	100.00	
<b>Total</b>		3	100.00	

Access to Safety and Emergency Equipment (fire extinguisher, first aid kit, etc.)

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	3	100.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
<b>Total Valid</b>		3	100.00	
<b>Total</b>		3	100.00	

Adequacy of the safety and security of your building

Mean: 3.33

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	33.33	
Good	3.00	2	66.67	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
<b>Total Valid</b>		3	100.00	
<b>Total</b>		3	100.00	

Is the number of security personnel adequate

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	1	100.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	3		
<b>Total Valid</b>		1	100.00	
<b>Total</b>		1	100.00	

Process for evaluating facilities use

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	1	100.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	2		
<b>Total Valid</b>		1	100.00	
<b>Total</b>		1	100.00	

Opportunities to participate in facilities planning (e.g. Long Range Development or Facilities Master Plan)

Mean: 2.33

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	2	66.67	
Fair	2.00	0	0.00	
Poor	1.00	1	33.33	
<i>DK/DU</i>	<i>0.00</i>	1		
<b>Total Valid</b>		3	100.00	
<b>Total</b>		3	100.00	

Effectiveness of planning and prioritization for equipment and facilities (e.g., maintenance, repairs, and procurement)

Mean: 2.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	1	50.00	
Fair	2.00	0	0.00	
Poor	1.00	1	50.00	
<i>DK/DU</i>	<i>0.00</i>	2		
<b>Total Valid</b>		2	100.00	
<b>Total</b>		2	100.00	

If you experienced an EMERGENCY on campus, rate the response by security personnel. If you have not experienced an emergency on campus, check the DK/DU (Don't Know/Don't Use) response box. Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	1	100.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	3		
<b>Total Valid</b>		1	100.00	
<b>Total</b>		1	100.00	

How familiar are you with TVCC's EMERGENCY PROCEDURES (including where to find them)? Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	3	100.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
<b>Total Valid</b>		3	100.00	
<b>Total</b>		3	100.00	

# Trinity Valley Community College

## Physical Resources/Facilities Survey

Fall 2018

**Campus:** Palestine

Which campus are you located?

Mean: 2.00

Response	Value	Frequency	Percent	Graph
Athens	1.00	0	0.00	
Palestine	2.00	23	100.00	
Terrell	3.00	0	0.00	
Health Science Center	4.00	0	0.00	
Other	5.00	0	0.00	
<b>Total Valid</b>		23	100.00	
<b>Total</b>		23	100.00	

Adequate size of work area/office

Mean: 3.27

Response	Value	Frequency	Percent	Graph
Excellent	4.00	14	63.64	
Good	3.00	4	18.18	
Fair	2.00	0	0.00	
Poor	1.00	4	18.18	
<i>DK/DU</i>	<i>0.00</i>	<i>1</i>		
<b>Total Valid</b>		22	100.00	
<b>Total</b>		22	100.00	

Appropriate location of work area/office

Mean: 3.36

Response	Value	Frequency	Percent	Graph
Excellent	4.00	12	54.55	
Good	3.00	7	31.82	
Fair	2.00	2	9.09	
Poor	1.00	1	4.55	
<i>DK/DU</i>	<i>0.00</i>	<i>1</i>		
<b>Total Valid</b>		22	100.00	
<b>Total</b>		22	100.00	

Adequate and appropriate work area/office equipment

Mean: 3.19

Response	Value	Frequency	Percent	Graph
Excellent	4.00	9	42.86	
Good	3.00	9	42.86	
Fair	2.00	1	4.76	
Poor	1.00	2	9.52	
DK/DU	0.00	1		
<b>Total Valid</b>		21	100.00	
<b>Total</b>		21	100.00	

Safety/security of work area/office

Mean: 2.91

Response	Value	Frequency	Percent	Graph
Excellent	4.00	8	36.36	
Good	3.00	8	36.36	
Fair	2.00	2	9.09	
Poor	1.00	4	18.18	
DK/DU	0.00	1		
<b>Total Valid</b>		22	100.00	
<b>Total</b>		22	100.00	

Cleanliness of work area/office

Mean: 3.09

Response	Value	Frequency	Percent	Graph
Excellent	4.00	8	36.36	
Good	3.00	9	40.91	
Fair	2.00	4	18.18	
Poor	1.00	1	4.55	
DK/DU	0.00	1		
<b>Total Valid</b>		22	100.00	
<b>Total</b>		22	100.00	

Adequate number of classrooms

Mean: 3.71

Response	Value	Frequency	Percent	Graph
Excellent	4.00	10	71.43	
Good	3.00	4	28.57	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	9		
<b>Total Valid</b>		14	100.00	
<b>Total</b>		14	100.00	

Appropriate location of classrooms

Mean: 3.44

Response	Value	Frequency	Percent	Graph
Excellent	4.00	9	56.25	
Good	3.00	5	31.25	
Fair	2.00	2	12.50	
Poor	1.00	0	0.00	
DK/DU	0.00	7		
<b>Total Valid</b>		16	100.00	
<b>Total</b>		16	100.00	

Adequate furnishings of classrooms

Mean: 2.87

Response	Value	Frequency	Percent	Graph
Excellent	4.00	5	33.33	
Good	3.00	4	26.67	
Fair	2.00	5	33.33	
Poor	1.00	1	6.67	
DK/DU	0.00	7		
<b>Total Valid</b>		15	100.00	
<b>Total</b>		15	100.00	

Adequate and appropriate classroom equipment

Mean: 3.13

Response	Value	Frequency	Percent	Graph
Excellent	4.00	6	40.00	
Good	3.00	7	46.67	
Fair	2.00	0	0.00	
Poor	1.00	2	13.33	
DK/DU	0.00	8		
<b>Total Valid</b>		15	100.00	
<b>Total</b>		15	100.00	

Safety and security of classrooms

Mean: 3.31

Response	Value	Frequency	Percent	Graph
Excellent	4.00	9	56.25	
Good	3.00	4	25.00	
Fair	2.00	2	12.50	
Poor	1.00	1	6.25	
DK/DU	0.00	6		
<b>Total Valid</b>		16	100.00	
<b>Total</b>		16	100.00	

Cleanliness of classrooms

Mean: 3.12

Response	Value	Frequency	Percent	Graph
Excellent	4.00	7	41.18	
Good	3.00	6	35.29	
Fair	2.00	3	17.65	
Poor	1.00	1	5.88	
DK/DU	0.00	6		
<b>Total Valid</b>		17	100.00	
<b>Total</b>		17	100.00	

Adequate number of labs/shops

Mean: 3.50

Response	Value	Frequency	Percent	Graph
Excellent	4.00	6	60.00	
Good	3.00	3	30.00	
Fair	2.00	1	10.00	
Poor	1.00	0	0.00	
DK/DU	0.00	12		
<b>Total Valid</b>		10	100.00	
<b>Total</b>		10	100.00	

Appropriate size of labs/shops

Mean: 3.30

Response	Value	Frequency	Percent	Graph
Excellent	4.00	4	40.00	
Good	3.00	5	50.00	
Fair	2.00	1	10.00	
Poor	1.00	0	0.00	
DK/DU	0.00	12		
<b>Total Valid</b>		10	100.00	
<b>Total</b>		10	100.00	

Appropriate location of labs/shops

Mean: 3.40

Response	Value	Frequency	Percent	Graph
Excellent	4.00	5	50.00	
Good	3.00	4	40.00	
Fair	2.00	1	10.00	
Poor	1.00	0	0.00	
DK/DU	0.00	12		
<b>Total Valid</b>		10	100.00	
<b>Total</b>		10	100.00	

Adequate furnishings of labs/shops

Mean: 2.60

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	20.00	
Good	3.00	3	30.00	
Fair	2.00	4	40.00	
Poor	1.00	1	10.00	
DK/DU	0.00	12		
<b>Total Valid</b>		10	100.00	
<b>Total</b>		10	100.00	

Adequate and appropriate lab/shop equipment

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	30.00	
Good	3.00	4	40.00	
Fair	2.00	3	30.00	
Poor	1.00	0	0.00	
DK/DU	0.00	12		
<b>Total Valid</b>		10	100.00	
<b>Total</b>		10	100.00	

Safety of labs/shops and equipment

Mean: 3.44

Response	Value	Frequency	Percent	Graph
Excellent	4.00	5	55.56	
Good	3.00	3	33.33	
Fair	2.00	1	11.11	
Poor	1.00	0	0.00	
DK/DU	0.00	13		
<b>Total Valid</b>		9	100.00	
<b>Total</b>		9	100.00	

Cleanliness of labs/shops and equipment

Mean: 3.22

Response	Value	Frequency	Percent	Graph
Excellent	4.00	4	44.44	
Good	3.00	3	33.33	
Fair	2.00	2	22.22	
Poor	1.00	0	0.00	
DK/DU	0.00	12		
<b>Total Valid</b>		9	100.00	
<b>Total</b>		9	100.00	

Availability of faculty/staff parking

Mean: 3.33

Response	Value	Frequency	Percent	Graph
Excellent	4.00	10	47.62	
Good	3.00	9	42.86	
Fair	2.00	1	4.76	
Poor	1.00	1	4.76	
DK/DU	0.00	1		
<b>Total Valid</b>		21	100.00	
<b>Total</b>		21	100.00	

Availability of student parking

Mean: 3.37

Response	Value	Frequency	Percent	Graph
Excellent	4.00	7	36.84	
Good	3.00	12	63.16	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	4		
<b>Total Valid</b>		19	100.00	
<b>Total</b>		19	100.00	

Safety/security in parking lots

Mean: 2.64

Response	Value	Frequency	Percent	Graph
Excellent	4.00	5	22.73	
Good	3.00	7	31.82	
Fair	2.00	7	31.82	
Poor	1.00	3	13.64	
DK/DU	0.00	1		
<b>Total Valid</b>		22	100.00	
<b>Total</b>		22	100.00	

Elevators

Mean: 3.50

Response	Value	Frequency	Percent	Graph
Excellent	4.00	1	50.00	
Good	3.00	1	50.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	20		
<b>Total Valid</b>		2	100.00	
<b>Total</b>		2	100.00	

Cafeteria

Mean: 3.40

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	40.00	
Good	3.00	3	60.00	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	16		
<b>Total Valid</b>		5	100.00	
<b>Total</b>		5	100.00	

## Restrooms (including cleanliness)

Mean: 2.95

Response	Value	Frequency	Percent	Graph
Excellent	4.00	6	28.57	
Good	3.00	10	47.62	
Fair	2.00	3	14.29	
Poor	1.00	2	9.52	
DK/DU	0.00	1		
<b>Total Valid</b>		21	100.00	
<b>Total</b>		21	100.00	

## Study areas (Library, Cardinal Success Center)

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	5	29.41	
Good	3.00	7	41.18	
Fair	2.00	5	29.41	
Poor	1.00	0	0.00	
DK/DU	0.00	6		
<b>Total Valid</b>		17	100.00	
<b>Total</b>		17	100.00	

## Leisure areas (benches, picnic tables, etc.)

Mean: 2.25

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	15.00	
Good	3.00	6	30.00	
Fair	2.00	4	20.00	
Poor	1.00	7	35.00	
DK/DU	0.00	3		
<b>Total Valid</b>		20	100.00	
<b>Total</b>		20	100.00	

Sidewalks

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	6	27.27	
Good	3.00	10	45.45	
Fair	2.00	6	27.27	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
<b>Total Valid</b>		22	100.00	
<b>Total</b>		22	100.00	

Stairways

Mean: 2.83

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	25.00	
Good	3.00	5	41.67	
Fair	2.00	3	25.00	
Poor	1.00	1	8.33	
DK/DU	0.00	11		
<b>Total Valid</b>		12	100.00	
<b>Total</b>		12	100.00	

Campus signs/maps

Mean: 2.74

Response	Value	Frequency	Percent	Graph
Excellent	4.00	4	21.05	
Good	3.00	7	36.84	
Fair	2.00	7	36.84	
Poor	1.00	1	5.26	
DK/DU	0.00	4		
<b>Total Valid</b>		19	100.00	
<b>Total</b>		19	100.00	

Sustainability and environmental responsibility ("GREEN")

Mean: 2.43

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	21.43	
Good	3.00	3	21.43	
Fair	2.00	5	35.71	
Poor	1.00	3	21.43	
DK/DU	0.00	9		
<b>Total Valid</b>		14	100.00	
<b>Total</b>		14	100.00	

Accessibility of TVCC buildings for persons with disabilities

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	4	23.53	
Good	3.00	10	58.82	
Fair	2.00	2	11.76	
Poor	1.00	1	5.88	
DK/DU	0.00	6		
<b>Total Valid</b>		17	100.00	
<b>Total</b>		17	100.00	

Adequacy of classroom furniture for persons with disabilities

Mean: 2.92

Response	Value	Frequency	Percent	Graph
Excellent	4.00	5	38.46	
Good	3.00	4	30.77	
Fair	2.00	2	15.38	
Poor	1.00	2	15.38	
DK/DU	0.00	10		
<b>Total Valid</b>		13	100.00	
<b>Total</b>		13	100.00	

Adequacy of classroom equipment for persons with disabilities

Mean: 3.09

Response	Value	Frequency	Percent	Graph
Excellent	4.00	5	45.45	
Good	3.00	3	27.27	
Fair	2.00	2	18.18	
Poor	1.00	1	9.09	
DK/DU	0.00	12		
<b>Total Valid</b>		11	100.00	
<b>Total</b>		11	100.00	

Adequacy of the Lighting during the Day

Mean: 3.27

Response	Value	Frequency	Percent	Graph
Excellent	4.00	9	40.91	
Good	3.00	10	45.45	
Fair	2.00	3	13.64	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
<b>Total Valid</b>		22	100.00	
<b>Total</b>		22	100.00	

Adequacy of the Lighting during the Night

Mean: 2.67

Response	Value	Frequency	Percent	Graph
Excellent	4.00	5	23.81	
Good	3.00	8	38.10	
Fair	2.00	4	19.05	
Poor	1.00	4	19.05	
DK/DU	0.00	2		
<b>Total Valid</b>		21	100.00	
<b>Total</b>		21	100.00	

Access to Safety and Emergency Equipment (fire extinguisher, first aid kit, etc.)

Mean: 2.89

Response	Value	Frequency	Percent	Graph
Excellent	4.00	4	21.05	
Good	3.00	10	52.63	
Fair	2.00	4	21.05	
Poor	1.00	1	5.26	
DK/DU	0.00	4		
<b>Total Valid</b>		19	100.00	
<b>Total</b>		19	100.00	

Adequacy of the safety and security of your building

Mean: 2.64

Response	Value	Frequency	Percent	Graph
Excellent	4.00	4	18.18	
Good	3.00	10	45.45	
Fair	2.00	4	18.18	
Poor	1.00	4	18.18	
DK/DU	0.00	1		
<b>Total Valid</b>		22	100.00	
<b>Total</b>		22	100.00	

Is the number of security personnel adequate

Mean: 2.65

Response	Value	Frequency	Percent	Graph
Excellent	4.00	5	25.00	
Good	3.00	8	40.00	
Fair	2.00	2	10.00	
Poor	1.00	5	25.00	
DK/DU	0.00	2		
<b>Total Valid</b>		20	100.00	
<b>Total</b>		20	100.00	

Process for evaluating facilities use

Mean: 2.88

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	18.75	
Good	3.00	9	56.25	
Fair	2.00	3	18.75	
Poor	1.00	1	6.25	
DK/DU	0.00	7		
<b>Total Valid</b>		16	100.00	
<b>Total</b>		16	100.00	

Opportunities to participate in facilities planning (e.g. Long Range Development or Facilities Master Plan)

Mean: 2.60

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	20.00	
Good	3.00	5	33.33	
Fair	2.00	5	33.33	
Poor	1.00	2	13.33	
DK/DU	0.00	8		
<b>Total Valid</b>		15	100.00	
<b>Total</b>		15	100.00	

Effectiveness of planning and prioritization for equipment and facilities (e.g., maintenance, repairs, and procurement)

Mean: 2.63

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	18.75	
Good	3.00	5	31.25	
Fair	2.00	7	43.75	
Poor	1.00	1	6.25	
DK/DU	0.00	7		
<b>Total Valid</b>		16	100.00	
<b>Total</b>		16	100.00	

If you experienced an EMERGENCY on campus, rate the response by security personnel. If you have not experienced an emergency on campus, check the DK/DU (Don't Know/Don't Use) response box. Mean: 2.50

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	33.33	
Good	3.00	1	16.67	
Fair	2.00	1	16.67	
Poor	1.00	2	33.33	
DK/DU	0.00	16		
<b>Total Valid</b>		6	100.00	
<b>Total</b>		6	100.00	

How familiar are you with TVCC's EMERGENCY PROCEDURES (including where to find them)? Mean: 2.52

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	14.29	
Good	3.00	7	33.33	
Fair	2.00	9	42.86	
Poor	1.00	2	9.52	
DK/DU	0.00	2		
<b>Total Valid</b>		21	100.00	
<b>Total</b>		21	100.00	

# Trinity Valley Community College

## Physical Resources/Facilities Survey

Fall 2018

**Campus:** Terrell

Which campus are you located?

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Athens	1.00	0	0.00	
Palestine	2.00	0	0.00	
Terrell	3.00	25	100.00	
Health Science Center	4.00	0	0.00	
Other	5.00	0	0.00	
<b>Total Valid</b>		25	100.00	
<b>Total</b>		25	100.00	

Adequate size of work area/office

Mean: 3.48

Response	Value	Frequency	Percent	Graph
Excellent	4.00	11	52.38	
Good	3.00	9	42.86	
Fair	2.00	1	4.76	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	2		
<b>Total Valid</b>		21	100.00	
<b>Total</b>		21	100.00	

Appropriate location of work area/office

Mean: 3.65

Response	Value	Frequency	Percent	Graph
Excellent	4.00	16	69.57	
Good	3.00	6	26.09	
Fair	2.00	1	4.35	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	2		
<b>Total Valid</b>		23	100.00	
<b>Total</b>		23	100.00	

Adequate and appropriate work area/office equipment

Mean: 3.61

Response	Value	Frequency	Percent	Graph
Excellent	4.00	14	60.87	
Good	3.00	9	39.13	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
<b>Total Valid</b>		23	100.00	
<b>Total</b>		23	100.00	

Safety/security of work area/office

Mean: 3.33

Response	Value	Frequency	Percent	Graph
Excellent	4.00	10	41.67	
Good	3.00	12	50.00	
Fair	2.00	2	8.33	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
<b>Total Valid</b>		24	100.00	
<b>Total</b>		24	100.00	

Cleanliness of work area/office

Mean: 3.58

Response	Value	Frequency	Percent	Graph
Excellent	4.00	17	70.83	
Good	3.00	4	16.67	
Fair	2.00	3	12.50	
Poor	1.00	0	0.00	
DK/DU	0.00	1		
<b>Total Valid</b>		24	100.00	
<b>Total</b>		24	100.00	

Adequate number of classrooms

Mean: 3.29

Response	Value	Frequency	Percent	Graph
Excellent	4.00	8	38.10	
Good	3.00	11	52.38	
Fair	2.00	2	9.52	
Poor	1.00	0	0.00	
DK/DU	0.00	4		
<b>Total Valid</b>		21	100.00	
<b>Total</b>		21	100.00	

Appropriate location of classrooms

Mean: 3.43

Response	Value	Frequency	Percent	Graph
Excellent	4.00	10	47.62	
Good	3.00	10	47.62	
Fair	2.00	1	4.76	
Poor	1.00	0	0.00	
DK/DU	0.00	4		
<b>Total Valid</b>		21	100.00	
<b>Total</b>		21	100.00	

Adequate furnishings of classrooms

Mean: 3.14

Response	Value	Frequency	Percent	Graph
Excellent	4.00	5	23.81	
Good	3.00	14	66.67	
Fair	2.00	2	9.52	
Poor	1.00	0	0.00	
DK/DU	0.00	4		
<b>Total Valid</b>		21	100.00	
<b>Total</b>		21	100.00	

Adequate and appropriate classroom equipment

Mean: 3.10

Response	Value	Frequency	Percent	Graph
Excellent	4.00	5	23.81	
Good	3.00	13	61.90	
Fair	2.00	3	14.29	
Poor	1.00	0	0.00	
DK/DU	0.00	4		
<b>Total Valid</b>		21	100.00	
<b>Total</b>		21	100.00	

Safety and security of classrooms

Mean: 2.64

Response	Value	Frequency	Percent	Graph
Excellent	4.00	5	22.73	
Good	3.00	8	36.36	
Fair	2.00	5	22.73	
Poor	1.00	4	18.18	
DK/DU	0.00	3		
<b>Total Valid</b>		22	100.00	
<b>Total</b>		22	100.00	

Cleanliness of classrooms

Mean: 3.38

Response	Value	Frequency	Percent	Graph
Excellent	4.00	10	47.62	
Good	3.00	9	42.86	
Fair	2.00	2	9.52	
Poor	1.00	0	0.00	
DK/DU	0.00	4		
<b>Total Valid</b>		21	100.00	
<b>Total</b>		21	100.00	

Adequate number of labs/shops

Mean: 2.57

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	14.29	
Good	3.00	6	42.86	
Fair	2.00	4	28.57	
Poor	1.00	2	14.29	
DK/DU	0.00	11		
<b>Total Valid</b>		14	100.00	
<b>Total</b>		14	100.00	

Appropriate size of labs/shops

Mean: 2.77

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	23.08	
Good	3.00	5	38.46	
Fair	2.00	4	30.77	
Poor	1.00	1	7.69	
DK/DU	0.00	11		
<b>Total Valid</b>		13	100.00	
<b>Total</b>		13	100.00	

Appropriate location of labs/shops

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	4	28.57	
Good	3.00	6	42.86	
Fair	2.00	4	28.57	
Poor	1.00	0	0.00	
DK/DU	0.00	11		
<b>Total Valid</b>		14	100.00	
<b>Total</b>		14	100.00	

Adequate furnishings of labs/shops

Mean: 2.86

Response	Value	Frequency	Percent	Graph
Excellent	4.00	4	28.57	
Good	3.00	5	35.71	
Fair	2.00	4	28.57	
Poor	1.00	1	7.14	
DK/DU	0.00	11		
<b>Total Valid</b>		14	100.00	
<b>Total</b>		14	100.00	

Adequate and appropriate lab/shop equipment

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	4	28.57	
Good	3.00	6	42.86	
Fair	2.00	4	28.57	
Poor	1.00	0	0.00	
DK/DU	0.00	11		
<b>Total Valid</b>		14	100.00	
<b>Total</b>		14	100.00	

Safety of labs/shops and equipment

Mean: 2.86

Response	Value	Frequency	Percent	Graph
Excellent	4.00	4	28.57	
Good	3.00	5	35.71	
Fair	2.00	4	28.57	
Poor	1.00	1	7.14	
DK/DU	0.00	11		
<b>Total Valid</b>		14	100.00	
<b>Total</b>		14	100.00	

Cleanliness of labs/shops and equipment

Mean: 3.07

Response	Value	Frequency	Percent	Graph
Excellent	4.00	4	28.57	
Good	3.00	7	50.00	
Fair	2.00	3	21.43	
Poor	1.00	0	0.00	
DK/DU	0.00	11		
<b>Total Valid</b>		14	100.00	
<b>Total</b>		14	100.00	

Availability of faculty/staff parking

Mean: 3.40

Response	Value	Frequency	Percent	Graph
Excellent	4.00	11	44.00	
Good	3.00	13	52.00	
Fair	2.00	1	4.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
<b>Total Valid</b>		25	100.00	
<b>Total</b>		25	100.00	

Availability of student parking

Mean: 3.45

Response	Value	Frequency	Percent	Graph
Excellent	4.00	11	50.00	
Good	3.00	10	45.45	
Fair	2.00	1	4.55	
Poor	1.00	0	0.00	
DK/DU	0.00	3		
<b>Total Valid</b>		22	100.00	
<b>Total</b>		22	100.00	

Safety/security in parking lots

Mean: 3.20

Response	Value	Frequency	Percent	Graph
Excellent	4.00	8	32.00	
Good	3.00	14	56.00	
Fair	2.00	3	12.00	
Poor	1.00	0	0.00	
DK/DU	0.00	0		
<b>Total Valid</b>		25	100.00	
<b>Total</b>		25	100.00	

Elevators

Mean: 2.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	0	0.00	
Fair	2.00	1	100.00	
Poor	1.00	0	0.00	
DK/DU	0.00	24		
<b>Total Valid</b>		1	100.00	
<b>Total</b>		1	100.00	

Cafeteria

Mean: 1.50

Response	Value	Frequency	Percent	Graph
Excellent	4.00	0	0.00	
Good	3.00	0	0.00	
Fair	2.00	2	50.00	
Poor	1.00	2	50.00	
DK/DU	0.00	21		
<b>Total Valid</b>		4	100.00	
<b>Total</b>		4	100.00	

## Restrooms (including cleanliness)

Mean: 3.08

Response	Value	Frequency	Percent	Graph
Excellent	4.00	8	32.00	
Good	3.00	11	44.00	
Fair	2.00	6	24.00	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	<i>0</i>		
<b>Total Valid</b>		25	100.00	
<b>Total</b>		25	100.00	

## Study areas (Library, Cardinal Success Center)

Mean: 3.39

Response	Value	Frequency	Percent	Graph
Excellent	4.00	11	47.83	
Good	3.00	10	43.48	
Fair	2.00	2	8.70	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	<i>2</i>		
<b>Total Valid</b>		23	100.00	
<b>Total</b>		23	100.00	

## Leisure areas (benches, picnic tables, etc.)

Mean: 2.92

Response	Value	Frequency	Percent	Graph
Excellent	4.00	6	25.00	
Good	3.00	11	45.83	
Fair	2.00	6	25.00	
Poor	1.00	1	4.17	
<i>DK/DU</i>	<i>0.00</i>	<i>1</i>		
<b>Total Valid</b>		24	100.00	
<b>Total</b>		24	100.00	

Sidewalks

Mean: 2.79

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	12.50	
Good	3.00	15	62.50	
Fair	2.00	4	16.67	
Poor	1.00	2	8.33	
DK/DU	0.00	1		
<b>Total Valid</b>		24	100.00	
<b>Total</b>		24	100.00	

Stairways

Mean: 3.33

Response	Value	Frequency	Percent	Graph
Excellent	4.00	2	33.33	
Good	3.00	4	66.67	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
DK/DU	0.00	19		
<b>Total Valid</b>		6	100.00	
<b>Total</b>		6	100.00	

Campus signs/maps

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	6	27.27	
Good	3.00	11	50.00	
Fair	2.00	4	18.18	
Poor	1.00	1	4.55	
DK/DU	0.00	2		
<b>Total Valid</b>		22	100.00	
<b>Total</b>		22	100.00	

Sustainability and environmental responsibility ("GREEN")

Mean: 2.55

Response	Value	Frequency	Percent	Graph
Excellent	4.00	4	18.18	
Good	3.00	10	45.45	
Fair	2.00	2	9.09	
Poor	1.00	6	27.27	
DK/DU	0.00	3		
<b>Total Valid</b>		22	100.00	
<b>Total</b>		22	100.00	

Accessibility of TVCC buildings for persons with disabilities

Mean: 2.61

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	13.04	
Good	3.00	10	43.48	
Fair	2.00	8	34.78	
Poor	1.00	2	8.70	
DK/DU	0.00	2		
<b>Total Valid</b>		23	100.00	
<b>Total</b>		23	100.00	

Adequacy of classroom furniture for persons with disabilities

Mean: 2.76

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	14.29	
Good	3.00	11	52.38	
Fair	2.00	6	28.57	
Poor	1.00	1	4.76	
DK/DU	0.00	4		
<b>Total Valid</b>		21	100.00	
<b>Total</b>		21	100.00	

Adequacy of classroom equipment for persons with disabilities

Mean: 2.75

Response	Value	Frequency	Percent	Graph
Excellent	4.00	3	15.00	
Good	3.00	9	45.00	
Fair	2.00	8	40.00	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	5		
<b>Total Valid</b>		20	100.00	
<b>Total</b>		20	100.00	

Adequacy of the Lighting during the Day

Mean: 3.39

Response	Value	Frequency	Percent	Graph
Excellent	4.00	9	39.13	
Good	3.00	14	60.87	
Fair	2.00	0	0.00	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	2		
<b>Total Valid</b>		23	100.00	
<b>Total</b>		23	100.00	

Adequacy of the Lighting during the Night

Mean: 3.00

Response	Value	Frequency	Percent	Graph
Excellent	4.00	4	18.18	
Good	3.00	14	63.64	
Fair	2.00	4	18.18	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	3		
<b>Total Valid</b>		22	100.00	
<b>Total</b>		22	100.00	

Access to Safety and Emergency Equipment (fire extinguisher, first aid kit, etc.)

Mean: 2.96

Response	Value	Frequency	Percent	Graph
Excellent	4.00	5	20.83	
Good	3.00	15	62.50	
Fair	2.00	2	8.33	
Poor	1.00	2	8.33	
DK/DU	0.00	1		
<b>Total Valid</b>		24	100.00	
<b>Total</b>		24	100.00	

Adequacy of the safety and security of your building

Mean: 2.88

Response	Value	Frequency	Percent	Graph
Excellent	4.00	5	20.00	
Good	3.00	14	56.00	
Fair	2.00	4	16.00	
Poor	1.00	2	8.00	
DK/DU	0.00	0		
<b>Total Valid</b>		25	100.00	
<b>Total</b>		25	100.00	

Is the number of security personnel adequate

Mean: 3.04

Response	Value	Frequency	Percent	Graph
Excellent	4.00	6	25.00	
Good	3.00	14	58.33	
Fair	2.00	3	12.50	
Poor	1.00	1	4.17	
DK/DU	0.00	0		
<b>Total Valid</b>		24	100.00	
<b>Total</b>		24	100.00	

Process for evaluating facilities use

Mean: 3.24

Response	Value	Frequency	Percent	Graph
Excellent	4.00	6	35.29	
Good	3.00	9	52.94	
Fair	2.00	2	11.76	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	8		
<b>Total Valid</b>		17	100.00	
<b>Total</b>		17	100.00	

Opportunities to participate in facilities planning (e.g. Long Range Development or Facilities Master Plan)

Mean: 3.29

Response	Value	Frequency	Percent	Graph
Excellent	4.00	5	35.71	
Good	3.00	8	57.14	
Fair	2.00	1	7.14	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	10		
<b>Total Valid</b>		14	100.00	
<b>Total</b>		14	100.00	

Effectiveness of planning and prioritization for equipment and facilities (e.g., maintenance, repairs, and procurement)

Mean: 3.14

Response	Value	Frequency	Percent	Graph
Excellent	4.00	4	28.57	
Good	3.00	8	57.14	
Fair	2.00	2	14.29	
Poor	1.00	0	0.00	
<i>DK/DU</i>	<i>0.00</i>	9		
<b>Total Valid</b>		14	100.00	
<b>Total</b>		14	100.00	

If you experienced an EMERGENCY on campus, rate the response by security personnel. If you have not experienced an emergency on campus, check the DK/DU (Don't Know/Don't Use) response box. Mean: 3.44

Response	Value	Frequency	Percent	Graph
Excellent	4.00	5	55.56	
Good	3.00	3	33.33	
Fair	2.00	1	11.11	
Poor	1.00	0	0.00	
DK/DU	0.00	16		
<b>Total Valid</b>		9	100.00	
<b>Total</b>		9	100.00	

How familiar are you with TVCC's EMERGENCY PROCEDURES (including where to find them)? Mean: 3.04

Response	Value	Frequency	Percent	Graph
Excellent	4.00	8	33.33	
Good	3.00	12	50.00	
Fair	2.00	1	4.17	
Poor	1.00	3	12.50	
DK/DU	0.00	1		
<b>Total Valid</b>		24	100.00	
<b>Total</b>		24	100.00	